



# Product guide 2025–26



## Functionality is beauty

Many people claim that beauty is in the eye of the beholder. But we believe that true beauty is universal. Because when form meets function, we create products that are truly beautiful. Not just for the eye, but for all your senses and your whole body.

That is why we see quality and sustainability as purely issues of hygiene. As our timeless design idiom clearly shows. And so does the way that every little knob is designed to be intuitively understandable and a delight for your hand to touch. Innovation has always been equally important to us. It is what we have used to transform the bathroom from a place where you take care of your daily needs into the delightful space it is today.

This catalogue presents most of our beautiful and functional bathroom products. For even more products, manuals, instruction videos and spare parts, visit our website: [gustavsberg.com](https://gustavsberg.com) And if you want to see precise prices and products in their physical form, we recommend calling in at one of our dealers

Finally, we would like to mention our bathroom planner. Use it to sketch out your own bathroom and check to see which products are the best match for your bathroom life.





## Content

Toilets and fixtures .....	6
Furniture .....	22
Mixers .....	62
Bathroom sinks .....	94
Shower doors and walls .....	100
Bathtubs .....	110
Accessories .....	122
Before you start .....	128
Think Gustavsberg.....	130







## We're turning 200!

Gustavsberg's first porcelain factory was founded in 1825. And today, a couple of centuries later, we're proud of everything we have achieved along the way. But we're far from done. We're looking forward excitedly to developing the fantastic bathrooms of the future.

Find out more about our long history, or discover Ducentic – our anniversary collection – on [gustavsberg.com](https://gustavsberg.com)



# Toilets and fixtures

Gustavsberg toilets are made of tightly vitrified sanitary porcelain, which is the most hygienic and durable material of all for bathroom porcelain. Our comprehensive range comprises both wall- and floor-mounted models to accommodate all wishes and needs, as well as toilets for installing in corners and small spaces. We also stock the widest range of Hygienic Flush models on the market – possibly the most hygienic type of toilet in the world.

## TO THINK OF

Which model suits you best? Do you want the water trap concealed or visible? Do you prefer wall or floor-mounting? With our Triomont system you can easily install a wall hung toilet even if your current model is floor standing. Neat, comfortable and hygienic. If your home is to have two toilets, why not choose different seat heights?



Nautic wall hung toilet



### HYGIENIC FLUSH

Smarter flushing for improved hygiene and easier cleaning. The innovative design with open rim and smooth surfaces eliminates all potential dirt traps. Hygienic Flush minimises the need to use strong cleaning agents.



### SUPRAFX

The patented suprafix system simplifies installation of your wall-mounted toilet and cuts installation time. Built-in wall fitting for invisible installation of wall-mounted toilets. Neater design, free from dirt traps, means improved hygiene and simpler cleaning.



### CERAMICPLUS = C+

Many of our products are available with ceramicplus surface treatment. This provides the porcelain with a dirtrepellent surface that prevents the accumulation of limescale and dirt. Ceramicplus is also good for the environment, as it means that you can use a milder detergent – and less of it! – When cleaning.



### NO ROOM FOR DIRT

On toilets with porcelain covers, the “seam” between the seating ring and the cover has been moved up. A soft curve in the porcelain simplifies cleaning and prevents the build-up of dirt. The foot of the toilet is smooth to facilitate cleaning and improve hygiene.



### QUICK RELEASE

With quick-release functionality, you can remove the toilet seat from the bowl easily and without tools. The seat and toilet can then be cleaned separately, which is both simpler and more hygienic.



### QUIET AND DRY

The fully encompassing porcelain cistern conceals a separate inner tank. This reduces noise and counteracts the build-up of condensation on the cistern, helping prevent the accumulation of dust.



### SOFT CLOSE

Hard, solid toilet seats have previously been associated with loud noises when they are lowered. Soft close functionality has solved this problem through the introduction of a damper that is built into the seat to ensure that it can be lowered gently and quietly. The damper has no direct contact with the porcelain, which facilitates cleaning and makes the seat more hygienic.



### SENSOR-CONTROLLED FLUSH

A touch-free flush function means improved hygiene. Using an app, the function can be set to flush automatically when the user walks away, or to flush at hygienic intervals if the toilet is used infrequently. Touch-free is a smart solution for all users, both at home and in public environments.













Nautic toilet

## Overview flush buttons

- All flush buttons for Gustavsberg's floor mounted toilets in today's range
- Flush buttons for older / discontinued models and series of toilets can be found at [www.gustavsberg.com/en/products/spareparts/](http://www.gustavsberg.com/en/products/spareparts/)

		ART No.
	<b>Flush button, dual flush</b> Fits the Nautic series Flush button in original design. Including button housing.	9GN00561
	<b>Flush button, single flush</b> Fits the Nautic series Flush button in original design. Including button housing.	9GN00661
	<b>Flush button low, dual flush</b> Fits the Nautic series Low flush button in a stylish design that simplifies cleaning. Including button housing.	9GN01161
	<b>Flush button high single flush</b> Fits the Nautic series Extra high flush button suitable for people with reduced hand strength.	9GN01561
	<b>Flush button high, single flush</b> Fits the Nautic series High flush button in extra durable model intended for public environments. Including button housing and custom valve.	GB19299NNV36
	<b>Flush button low, chrome, dual flush</b> <b>Flush button low, matt black, dual flush</b> Fits Nautic Public and Estetic series Low round flush button in a stylish design that simplifies cleaning. Including button housing.	87569961 875698K5
	<b>Flush button low, single flush</b> Fits Nautic Public and Estetic series Low round flush button in stainless steel. An extra durable model that withstands careless use and frequent cleaning. Primarily intended for public environments. Including button housing.	9GN016D7
	<b>Flush button low, dual flush</b> Fits Nordic³ series Low round flush button in a stylish design that simplifies cleaning. Including button housing.	GB19299S3951




## Floor-mounted toilet, Nautic

- Made of hygienic, durable and tightly whiterified sanitary porcelain
- Easy to clean, minimalist design
- Seat height 420 or 460 mm
- Hygienic Flush with open flush rim for easier cleaning.
- Flushes all the way up to the rim for improved hygiene
- Full-coverage, condensation-free cistern
- Quiet refilling
- Adjustable water connection for flexible installation
- Also suitable for installing in corners
- Can be fitted with armrests and care seat for functional adaptation
- Seat with Soft Close (SC) for gentle, quiet closing and Quick Release (QR) for easier cleaning
- Ceramicplus (C+) for quick, eco-friendly cleaning

ART No.

### Nautic Hygienic Flush



#### 1500 Nautic Hygienic Flush with concealed S-trap Floor-mounted toilet with open flush rim.

##### Dual flush, 2/4 litre

With hard white seat with SC/QR and C+

With hard white seat with SC/QR and C+,  
without screw holes for gluing to the floor

With hard white seat with SC/QR

With hard white seat, without screw holes for gluing to the floor

With white Slim seat, a neater model of hart seat with SC/QR , and C+

With white standard seat

With white standard seat, without screw holes for gluing to the floor

Without seat, without screw holes for gluing to the floor

##### Single flush, 4 litre. With raised flush button.

With white standard seat

Seats See page 14.



GB1115002R133R

GB1115002R1331G

GB111500201331

GB111500201331G


GB1115002R1341G

GB111500201311

GB111500201311G

GB111500201303G

GB111500401211



#### 1510 Nautic Hygienic Flush with concealed P-trap Floor-mounted toilet with open flush rim.

##### Dual flush, 2/4 litre

With hard white seat with SC/QR and C+

With white standard seat

Without seat

##### Single flush, 4 litre. With raised flush button.

With hard white seat with SC/QR and C+

With white standard seat

Seats See page 14.




GB1115102R1331

GB111510201311

GB111510201303

GB1115104R1231

GB111510401211



#### 1546 Nautic Hygienic Flush with concealed S-trap, tall model, 460 mm Floor-mounted toilet with open flush rim.

With raised flush button.

##### Dual flush, 2/4 litre

With hard white seat with SC/QR and C+

With white standard seat

Without seat

##### Single flush, 4 litre

With hard white seat with SC/QR and C+

With white standard seat

Seats See page 14.




GB1115462R1231

GB111546201211

GB111546201205

GB1115464R1231

GB111546401211



**1591 Nautic Hygienic Flush with open S-trap, large foot**  
Floor-mounted toilet with open flush rim.  
Large footprint that covers marks left after an old toilet

**Dual flush, 2/4 litre**

With hard white seat with SC/QR and C+

With white standard seat

With raised flush button, without seat

**Single flush, 4 litre. With raised flush button.**

With white standard seat


**Seats** See page 14.



ART No.

GB1115912R1331  
GB1115912O1311  
GB1115912O1205

GB1115914O1211



**1591 Nautic Hygienic Flush with connection for washbasin waste connection to the toilet waste connection. With open S-trap and large footprint that covers marks left after an old toilet**  
Floor-mounted toilet with open flush rim

With waste connection for washbasin to the left. Dual flush, 2/4 litre  
Without seat, with C+

With waste connection for washbasin to the right. Dual flush, 2/4 litre  
Without seat, with C+

**Seats** See page 14.




GB1115912O1200L

GB1115912O1200R

Floor-mounted toilet,  
Estetic

- Made of hygienic, durable and tightly whiterified sanitary porcelain
- Organic design with easy-to-clean surfaces
- Hygienic Flush with open flush rim for easier cleaning
- Flushes all the way up to the rim for improved hygiene
- Factory set dual flush: 4/2 l
- Flush volume adjustable up to 6 l
- Seat height: 420 mm
- Full-coverage, condensation-free cistern
- Quiet refilling
- Supplied with a flexible drain sleeve for fitting to a drain in the floor or directly into the wall
- Adjustable water connection R1/2"
- Floor connection set for quick and easy mounting
- Concealed floor connection with two screws or gluemounting to the floor
- Ceramicplus (C+) for quick, eco-friendly cleaning



**8300 Estetic with concealed S/P-trap.**  
**Without screw holes for gluing to the floor.**  
Floor-mounted toilet with open flush rim.

**Dual flush, 2/4 litre. With C+.**

White. Seat with SC/QR

Matte white. Seat with SC/QR

Matte black. Seat with SC/QR

**8300 Estetic with concealed S/P-trap. For screw mounting**

Floor-mounted toilet with open flush rim, with C+

**Dual flush, 2/4 litre. With C+.**

White. Seat with SC/QR



ART No.


GB1183002R1231G  
GB1183002RW231G  
GB1183002R7231G

GB1183002R1231



## Floor-mounted toilet, Nordic<sup>3</sup>

- Made of hygienic, durable and tightly whiterified sanitary porcelain
- Functional design, standard dimensions
- Seat height 430 mm
- Glazed beneath the flush rim for easier cleaning
- Full-coverage, condensation-free cistern
- For installation with four screws or gluemounting to the floor
- Can be fitted with armrests and care seat for functional adaptation



### 3500 Nordic<sup>3</sup> with concealed S-trap

#### Dual flush, 3/6 litre

Without seat

With white standard seat

#### Seats

8780 Nordic<sup>3</sup> hard seat, white

8780 Nordic<sup>3</sup> hard seat with SC, white

9M64 Nordic<sup>3</sup> standard seat, white



#### ART No.


GB113500301203

GB113500301213

8780G101

8780S101

9M646101



### 3510 Nordic<sup>3</sup> with concealed P-trap

Suitable for drainage connection to the floor to the wall, or to the side at an angle of your choice.

#### Dual flush, 3/6 litre

Without seat

With white standard seat

#### Seats

8780 Nordic<sup>3</sup> hard seat, white

8780 Nordic<sup>3</sup> hard seat with SC, white

9M64 Nordic<sup>3</sup> standard seat, white



GB113510301203

GB113510301213

8780G101

8780S101


9M646101

## Wall-mounted toilet

- Made of hygienic, durable and tightly whiterified sanitary porcelain
- All toilets bowls can be combined with Triomont fixtures
- All Gustavsberg toilet bowls are for fitting with centre to centre measurements of 180 or 230 mm
- Load tested to 400 kg
- Several seat options
- Seat with Soft Close (SC) for gentle, quiet closing
- Seat with Quick Release (QR) for easier cleaning
- Ceramicplus (C+) as an option for simple and eco-friendly cleaning
- Hygienic Flush with open flush rim for easier cleaning, standard on most models. Flushes all the way up to the rim for improved hygiene

#### ART No.

### Nautic



### 1530 Nautic WC bowl for wall-mounting

Toilet bowl with open flush rim. For wall-mounting on fixture. With concealed fitting. Requires a minimum flush of 4,5/3 litre.

Without seat

With white standard seat

With white Slim seat, a neater model of hard seat with SC/QR

With white Slim seat, a neater model of hard seat with SC/QR, and C+

#### Seats

9M24 Nautic standard seat, white

9M25 Nautic hard seat with stainless fittings, white

9M26 Nautic hard seat with SC/QR, white



GB111530001000

GB111530001010


GB111530001040

GB1115300R1040

9M246101

9M256101

9M26S101



### 5530 Nautic WC bowl for wall-mounting

Toilet bowl with open flush rim. For wall-mounting on fixture. Requires a minimum flush of 4,5/3 litre.

Without seat. With C+

With white standard seat

#### Seats

8M45 Nautic Slim seat with SC/QR, white

9M24 Nautic standard seat, white

9M25 Nautic hard seat with stainless fittings, white

9M26 Nautic hard seat with SC/QR, white

9M26 Nautic hard seat with SC/QR, black



GB1155300R1000

GB115530001010

8M45S101


9M246101

9M256101

9M26S101

9M26S136

## Estetic

**8330 Estetic for wall fitting. With C+**

Toilet bowl with open flush rim. For wall-mounting on fixture with built-in cistern.  
Suprafix system simplifies installation. Requires a minimum flush of 4,5/3 litre.

White with white hard seat with SC/QR

Matte white with matt white hard seat with SC/QR


Matte black with matt black hard seat with SC/QR



GB1183300R1030

GB1183300RW030

GB1183300R7030

Nordic<sup>3</sup>**3630 Nordic³ toilet bowl for wall-mounting**

For wall-mounting on fixture. Requires a minimum flush of 4,5/3 litre

Without seat

With white standard seat

With white hard seat with SC

**Seats**

8780 Nordic³ hard seat with stainless fittings

8780 Nordic³ hard seat with SC

9M64 Nordic³ standard seat



GB113630001000


GB113630001010

GB113633001030

8780G801

8780S801

9M648101

**3635 Nordic³ short model toilet bowl for wall-mounting**

For wall-mounting on fixture. Requires a minimum flush of 4,5/3 litre

Without seat

With white standard seat

With white hard seat with SC

**Seats**

8780 Nordic³ hard seat with stainless fittings

8780 Nordic³ hard seat with SC

9M64 Nordic³ standard seat



GB113635001000

GB113635001010


GB113635001030

8780G801

8780S801

9M648101

## Nautic with tank

**1522 Nautic Hygienic Flush wall-mounted with tank**

Wall-mounted toilet with open flush rim. Designed for wall-mounting on a fixture. 2 cm free space between fixed wall and back of cistern to facilitate cleaning. With raised flush button.

**Dual flush, 2/4 litre**

With white standard seat

Without seat

With hard white seat with SC/QR, with C+

With hard white seat with SC/QR

**Single flush, 4 litre**

With white standard seat

With hard white seat with SC/QR, with C+

**Seats** See page 14.



GB111522201211

GB111522201205

GB1115222R1231













GB111522201231

GB111522401211

GB1115224R1231



Care

		<p><b>4G01 Care for wall-mounting, extended model</b></p> <p>Wall-mounted toilet with open flush rim. Extended model for simpler transfer between wheelchair and toilet. For wall-mounting on a fixture with built-in cistern. Requires a minimum flush of 3/6 litre.</p> <p>Without seat</p> <p><b>Seats</b></p> <p>White hard seat with fixed fittings</p> <p>White hard seat featuring SC/QR</p> <div></div>	<p>4G01R001</p> <p>9M676101</p> <p>9M38S101</p>
		<p><b>4G95 Care for wall-mounting, elevated model</b></p> <p>Wall-mounted toilet with open flush rim. For installing on existing fixture where higher seat height is required. For wall-mounting on a fixture with built-in cistern. Requires a minimum flush of 3/6 litre.</p> <p>Without seat</p> <p><b>Seats</b></p> <p>White hard seat with fixed fittings</p> <p>White hard seat featuring SC/QR</p> <div></div>	<p>4G95R001</p> <p>9M676101</p> <p>9M38S101</p>

## Toilets seats

- Dimensioned to suit the different product ranges in the Gustavsberg brand
- Soft Close for quiet closing
- Quick release for simple cleaning

ART No.





### Toilets seats for Nautic

		<b>9M24 Nautic standard seat</b> White Suits all toilets in the Nautic range 	9M246101
		<b>9M25 Nautic hard seat White with stainless steel fittings</b> White Suits all toilets in the Nautic range	9M256101
		<b>9M26 Nautic hard seat with SC and QR</b> White Black Suits all toilets in the Nautic range  	9M26S101 9M26S136
		<b>8M45 Nautic Slim seat, a neater model of hart seat with SC/QR</b> White Suits all toilets in the Nautic range	8M45S101

### Toilets seats for Estetic











		<b>9M09 Estetic seat with SC and QR for wall-mounted toilets</b> White Matte White Matte Black  <b>9M10 Estetic seat with SC and QR for floor standing toilets</b> White Matte White Matte Black   	9M09S101 9M09S1RW 9M09S138  9M10S101 9M10S1RW 9M10S136
---	---	---	--

### Toilets seats for Nordic³

		<b>Seats fitting Nordic³ wall-mounted toilets</b> 8780 Nordic³ Hard seat with stainless steel fittings, white 8780 Nordic³ Hard seat with SC, white 9M64 Nordic³ Standard seat, white  <b>Seats fitting Nordic³ floor standing toilets</b> 8780 Nordic³ Hard seat with stainless steel fittings, white 8780 Nordic³ Hard seat with SC, white 9M64 Nordic³ Standard seat, white   	8780G801 8780S801 9M648101  8780G101 8780S101 9M646101
---	---	---	--

## Care products – toilets

- To see products in our range that accommodate special needs, visit [www.gustavsberg.com](http://www.gustavsberg.com).

			ART No.
		<b>3055 Arm support for toilets in the Nautic range</b> Suitable for all models in the range except 1530 and 5530 Arm support with seat. White with dark grey handles and white seat Arm support without seat. White with dark grey handles 3018 Toilet paper holder for arm rest	GB88305501 GB88305500 GB88301801
		<b>3051 Arm support for toilets in Nordic and former Logic range</b> Arm support without seat. White support with dark grey handles. 3018 Toilet paper holder for arm rest	GB88305100 GB88301801
		<b>3060 Care seat for arm support 3055 and 3051</b> Care seat, white Care seat, blue Care seat, red Care seat, black	GB88306001 GB88306015 GB88306004 GB88306036
		<b>1711 Arm support for wall mounting, 1 pcs</b>	GB88171101
		<b>1712 Arm support for wall mounting with leg support, 1 pcs</b>	GB88171201
		<b>1713 Arm support for wall mounting, with leg support. Adjustable in height, 1 pcs</b>	GB88171301
		<b>1714 Toilet paper holder for arm support 1711</b>	GB88171401


















## Control panels Triomont

- Numerous models and materials to choose from
  - The panel you choose determines single or dual flush
- NB The header line for the different control panels below states whether they match fixture XS or XT. Please make sure to choose a panel that matches the fixture you have ordered.


ART No.

### Wall mounted control panels single / dual flush for Triomont XS




	White, dual flush	GB1921102035
	Matte chrome, dual flush	GB1921102036
	Shiny chrome, dual flush	GB1921102037
	White, single flush	GB1921102030
	Shiny chrome, single flush	GB1921102032
	White, dual flush	GB1921102052
	Shiny chrome, dual flush	GB1921102053
	Shiny chrome, metal, without logo, dual flush	GB1921102047
	Matte black, dual flush	GB1921102049
	Stainless, dual flush	GB1921102054
	White glass, dual flush	GB1921102056
	Black glass, dual flush	GB1921102057
	Aluminum, dual flush	GB1921102058
	Matte black, aluminum, dual flush	GB1921102048

## Pneumatic wall mounted control panels dual flush for Triomont XS



	White	GB1921102060
	Shiny chrome	GB1921102061
	White glass	GB1921102066
	Black glass	GB1921102067

## Pneumatic button, single flush, fits all fixture models




Stainless



Make sure to install some kind of inspection hatch to reach the valves in the built-in-cistern, when choosing a pneumatic button.

GB1921102092

## Sensor controlled \*) wall mounted control panels for Triomont XS



White, dual flush

GB1921102070



Stainless, dual flush. Mainly for public settings

GB1921102072

\*) Always complete sensor controlled panels with:


Battery box

GB1921102077

or with 230V connector


GB1921102078

## Top mounted control panels, dual flush for Triomont XT



	White	GB1921102080
	Shiny chrome	GB1921102081
	Black glass	GB1921102083


## Pneumatic top mounted control panels, dual flush for Triomont XT



	White	GB1921102085
	Shiny chrome	GB1921102086

Triomont  
toilet fixture

- Neat installation with a minimum of visible pipes
- Wide range of control panels in a variety of styles
- Choose high or low flush volume
- We supply the widest range of wall-mounted toilet bowls on the market
- Adjustable flush volume – see installation instructions supplied
- Space-efficient design, just 380 mm wide
- Wall fittings included. No need to drill holes in the floor
- Rotatable wall fittings for a flexible wall connection
- Sitting height 410–630 mm.
- Floor- or wall-connected drain
- Load tested steel frame to 400 kg
- Fixture in line with SS 820200 standard
- Cistern in line with EN 14055
- Suitable for AMA installation without extra components (SE)



Triomont XS fixture for wall-mounted or pneumatic control panel

High model for fitting against a straight wall or in a corner. Add a control panel and wall-mounted toilet to complete. The control panel determines the type of flush.

Triomont XS, dual flush 4.5/3-litre or single flush 4.5-litre

GB1921102026

Triomont XS, dual flush 6/3-litre or single flush 6-litre

GB1921102020

Accessories


2pcs corner fitting for corner installation

GB1921102029

2pcs extra wall fitting (when the lower fitting supplied cannot be used).

GB1921102027

**Installation:** The height on the sketch (1000 mm) results in a toilet seat height of 410–430 mm, depending on toilet model. On installation, this can be adjusted up to 610–630 mm.  
Weight: 14 kg including packaging.



Triomont XT fixture for top-mounted or pneumatic control panel

Low model for fitting against a straight wall. Add a control panel and wall-mounted toilet to complete. The control panel determines the type of flush.

Triomont XT, dual flush 6/3-litre or single flush 6-litre.


GB1921102024

Accessories

2pcs extra wall fitting (when the lower fitting supplied cannot be used).

GB1921102027

**Installation:** The height on the sketch (830 mm) results in a toilet seat height of 410–430 mm depending on toilet model. On installation, this can be adjusted up to 610–630 mm.  
Weight: 12 kg including packaging.



Triomont XS Vario fixture for wall-mounted or pneumatic control panel

Primarily intended for hospitals and care homes. High model for fitting against a straight wall or in a corner. With adjustable sitting height after installation. Add a control panel and wall-mounted toilet to complete. The control panel determines the type of flush.

Triomont XS Vario, dual flush 6/3-litre or single flush 6-litre.

GB1921102022

Accessories

2pcs corner fitting for corner installation

GB1921102029

2pcs extra wall fitting (when the lower fitting supplied cannot be used).

GB1921102027

**Installation:** The height on the sketch (1000 mm) results in a toilet seat height of 410–430 mm, depending on toilet model. On installation, this can be adjusted up to 610–630 mm. After installation, the toilet can be raised 100 mm. It can naturally also be returned to its original position.  
Weight: 19 kg including packaging.

Triomont toilet fixture deliveries include:





- Fixture with four wall fittings
- Complete cistern insulated against condensation, with flush fitting and shut-off valve
- Connection components for drain and water supply (pipe in pipe)
- Hole template for button
- M12 threaded bars for fitting the toilet.
- Protection plugs
- Screws and plugs for fixing
- Insulation protection for fitting between the porcelain and the wall
- Drilling template for wall
- Installation instructions.

Always finish off with:

- Wall-mounted toilet
- Control panel

## Triomont toilet fixture All-in-one

- Neat installation with a minimum of visible pipes
- Toilet, fixture and control panel all included in the package
- Hygienic Flush with open flush rim for easier cleaning. Flushes all the way up to the rim for improved hygiene
- Quick and easy to install with Suprafix, where the entire toilet is fitted through the holes for the seat; no visible screws = Estetic model
- Adjustable flush volume – see installation instructions supplied
- Space-efficient design, just 380 mm wide
- Wall fittings included. No need to drill holes in the floor
- Rotatable wall fittings for a flexible wall connection
- Sitting height 410–630 mm.
- Floor- or wall-connected drain
- Load tested steel frame to 400 kg
- Fixture in line with SS 820200 standard
- Cistern in line with EN 14055
- Suitable for AMA installation without extra components (SE)

		ART No.
		<b>Triomont XS fixture, including Nautic toilet and control panel</b> High model for fitting against a straight wall or in a corner. Complete package including control panel for dual flush (GB1921102052) and Nautic toilet (GB111530001040) with hidden fixation. The Toilet features Hygienic flush for improved hygiene and Slim seat with SC/QR. Triomont XS, dual flush 4.5/3-litre including Nautic toilet <b>Accessories</b> 2pcs corner fitting for corner installation
		<b>Triomont XS fixture, including Estetic toilet and control panel</b> High model for fitting against a straight wall or in a corner. Complete package including pneumatic control panel for dual flush 4.5/3 liters (GB1921102052) and Estetic toilet (GB1183300R1030). The Toilet features Hygienic flush for improved hygiene and Suprafix for quick and easy installation. Triomont XS, dual flush 4.5/3-litre including Estetic toilet <b>Accessories</b> 2pcs corner fitting for corner installation
		<b>Triomont XS fixture, including Nordic³ toilet and control panel</b> High model for fitting against a straight wall or in a corner. Complete package including control panel for dual flush 4.5/3 liters (GB1921192935) and Nordic3 HF toilet (GB11363001030). The Toilet features Hygienic flush for improved hygiene. Triomont XS, dual flush 4.5/3-litre including Nordic³ HF toilet <b>Accessories</b> 2pcs corner fitting for corner installation

## Triomont installation system for wallhung toilets with visible cistern

- Neat installation, with a minimum of visible pipes
- Load-tested 400 kg
- Floor or wall-connected drain
- Fits all wall-hung toilets with a centre to centre distance between bolts of 180 or 230 mm
- Recommended seat height, 450 mm

		ART No.
		<b>Triomont fixture for wallhung toilets with visible water cistern</b> For mounting against straight wall or in a corner.
	<b>Accessories</b> 2pcs corner fitting for corner installation 2pcs extra wall fitting (when the lower fitting supplied cannot be used). <b>Weight: 9 kg including packaging</b>	GB19211000510           GB1921102029 GB1921102027


### Triomont toilet fixture deliverie include:

- Fixture with four wall fittings
- M12 threaded bars for fitting the toilet bowl.
- Screws and plugs for fixing.
- Installation instructions.
- Connecting components for wall alt. floor connection
- Always finish off with:
- Suitable toilet



Urinals

- Fits in public places as well as in the private home.  
Contact us for more information about installing our urinals.
- Finish of with flushing device and captive waste to complete




**7G50 Urinal**  
With open water connection for mounting with visible plumbing.  
Water trap as separate order.

**Accessories**

Water trap for wall connection  
Water trap for floor connection  
Water connector seal

ART No.
7G5 00 001
93260000
93270000
99320000



**7G51 Urinal**  
With covered water connection for mounting with concealed plumbing.  
Water trap and connector nipple as separate order.

**Accessories**

Water trap for wall connection  
Water trap for floor connection  
Water connector seal

7G5 10 001
93260000
93270000
99330000

# The advantages of porcelain

## "Genuine vitreous china"

Simply means tightly vitrified sanitary porcelain, the most hygienic and durable material of all for bathroom porcelain. It provides a strong, resistant surface that stands every day use, year after year.



## Hygienic

The surface provides a hard and tight surface that makes it withstand scratching, easy to keep clean and is therefore hygienic.



## Ceramicplus

Many of our products are available with ceramicplus surface treatment. This provides the porcelain with a dirt-repellent surface that prevents the accumulation of limescale and dirt. Ceramicplus is also good for the environment, as it means that you can use a milder detergent – and less of it!

## Hygienic Flush

Smarter flushing for improved hygiene and easier cleaning. The innovative design with open rim and smooth surfaces eliminates all potential dirt traps. Hygienic flush minimizes the need to use strong cleaning agents.

## Persistent

High resistance to the chemicals found in, for example, cosmetics, styling products and other things that are common in the bathroom. Not even nail polish leaves any marks on the porcelain surface.



# Furniture

A bathroom needs to be functional and practical for everyone in the family. It should also serve as a tranquil oasis to which you can retire to recuperate after a demanding day. Both form and function should invite you in for a sweet and simple sojourn in the bathroom.

Bathroom furniture from Gustavsberg features timeless Scandinavian design and maintains a superior level of quality. All materials have been tested to ensure they can withstand the humid environment of a bathroom in use.

Our unique spare parts guarantee and complementary products ensure that you and our products can live a long life together. The only question is:

## ATHINGS TO THINK ABOUT

Gustavsberg furniture units are built to withstand the ravages of time, but don't forget that both your own life and your bathroom-related needs may change over the years. You will never regret investing in quality and smart storage solutions.



Graphic wall cabinet



## SOFT CLOSE FURNITURE

In the acoustics in a bathroom can result in loud, sudden noises being particularly irritating. With soft-close functionality, cabinet doors and drawers close gently and quietly.



## MOISTURE RESISTANT

The wood used in Gustavsberg bathroom furniture has been developed and tested for high durability in hot, humid bathroom environments. Smart design – e.g. The way our washbasins extend beyond the edge of our washbasins – protects the furniture from splashes and eliminates unnecessary moisture traps.



Ducentic bathroom cabinet / Ducentic washbasin mixer



# Ducentic bathroom furniture

Ducentic is our anniversary collection, inspired by history but designed for the future. The range is distinguished by authentic, carefully selected materials such as oak, stone, steel, brass and, of course, the material that has always been the foundation of our business: porcelain. The washbasin units come with a range of options as regards colour, width, leg adjustment, washbasin and matching accessories.


## Colours countertops and washbasins



White



Beige Royal



Polar grey



## Colours furniture



White



Brown oak



Light oak

## HANDLES AND KNOBS

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.






## Ducentic bathroom cabinet with washbasin and countertop

- Soft-closing drawer for quiet and soft closing
- Spacious drawer interior without the need for a cut-out for the water trap, creating more space for storage
- Same material and color on cabinet frame and drawers
- With space for external piping behind the drawers
- Manufactured in moisture resistant materials for humid environments
- Power outlet available as an option
- A variety of handle styles available as options
- Water trap and bottom valve are included in the package together with the washbasin/countertop
- Adapted for installation of Vatette V6 in the cabinet
- Remember to order the correct number of mixer holes in the countertop or washbasin


Art-nr



Width 600 mm, brown oak with countertop in stone or wasbasin in white. Legframe as an alternative.




Washbasin, White, 1 single hole mixer	GB71DCVU60AWWB1100
Washbasin, White, 1 single hole mixer, with legframe	GB71DCVU60AWWB11LF
Stone countertop, Beige Royal, 1 single hole mixer	GB71DCVU60AWCC1100
Stenbänkskiva, Beige Royal, 1 single hole mixer, with legframe	GB71DCVU60AWCC11LF
Stone countertop, Beige Royal, 1 double hole mixer	GB71DCVU60AWCC1200
Stone countertop, Beige Royal, 1 double hole mixer, with legframe	GB71DCVU60AWCC12LF
Stone countertop, Polar Grey, 1 single hole mixer	GB71DCVU60AWSG1100
Stone countertop, Polar Grey, 1 single hole mixer, with legframe	GB71DCVU60AWSG11LF
Stone countertop, Polar Grey, 1 double hole mixer	GB71DCVU60AWSG1200
Stone countertop, Polar Grey, 1 double hole mixer, with legframe	GB71DCVU60AWSG12LF
 	

Width 600 mm, light oak with countertop in stone or wasbasin in white. Legframe as an alternative.





Washbasin, White, 1 single hole mixer	GB71DCVU60ARWB1100
Washbasin, White, 1 single hole mixer, with legframe	GB71DCVU60ARWB11LF
Stone countertop, Beige Royal, 1 single hole mixer	GB71DCVU60ARCC1100
Stone countertop, Beige Royal, 1 single hole mixer, with legframe	GB71DCVU60ARCC11LF
Stone countertop, Beige Royal, 1 double hole mixer	GB71DCVU60ARCC1200
Stone countertop, Beige Royal, 1 double hole mixer, with legframe	GB71DCVU60ARCC12LF
Stone countertop, Polar Grey, 1 single hole mixer	GB71DCVU60ARSG1100
Stone countertop, Polar Grey, 1 single hole mixer, with legframe	GB71DCVU60ARSG11LF
Stone countertop, Polar Grey, 1 double hole mixer	GB71DCVU60ARSG1200
Stone countertop, Polar Grey, 1 double hole mixer, with legframe	GB71DCVU60ARSG12LF
 	

Width 600 mm, white with countertop in stone or wasbasin in white.



Washbasin, White, 1 single hole mixer	GB71DCVU60DHWB1100
Stone countertop, Beige Royal, 1 single hole mixer	GB71DCVU60DHCC1100
Stone countertop, Beige Royal, 1 double hole mixer	GB71DCVU60DHCC1200
Stone countertop, Polar Grey, 1 single hole mixer	GB71DCVU60DHSG1100
Stone countertop, Polar Grey, 1 double hole mixer	GB71DCVU60DHSG1200
 	



Width 800 mm, brown oak with countertop in stone or wasbasin in white. Legframe as an alternative.



Washbasin, White, 1 single hole mixer	GB7IDCVU80AWWB1100
Washbasin, White, 1 single hole mixer, with legframe	GB7IDCVU80AWWB11LF
Washbasin, White, 1 double hole mixer	GB7IDCVU80AWWB1200
Washbasin, White, 1 double hole mixer, with legframe	GB7IDCVU80AWWB12LF
Stone countertop, Beige Royal, 1 single hole mixer	GB7IDCVU80AWCC1100
Stone countertop, Beige Royal, 1 single hole mixer, with legframe	GB7IDCVU80AWCC11LF
Stone countertop, Beige Royal, 1 double hole mixer	GB7IDCVU80AWCC1200
Stone countertop, Beige Royal, 1 double hole mixer, with legframe	GB7IDCVU80AWCC12LF
Stone countertop, Polar Grey, 1 single hole mixer	GB7IDCVU80AWSG1100
Stone countertop, Polar Grey, 1 single hole mixer, with legframe	GB7IDCVU80AWSG11LF
Stone countertop, Polar Grey, 1 double hole mixer	GB7IDCVU80AWSG1200
Stone countertop, Polar Grey, 1 double hole mixer, with legframe	GB7IDCVU80AWSG12LF




Width 800 mm, light oak with countertop in stone or wasbasin in white. Legframe as an alternative.



Washbasin, White, 1 single hole mixer	GB7IDCVU80ARWB1100
Washbasin, White, 1 single hole mixer, with legframe	GB7IDCVU80ARWB11LF
Washbasin, White, 1 double hole mixer	GB7IDCVU80ARWB1200
Washbasin, White, 1 double hole mixer, with legframe	GB7IDCVU80ARWB12LF
Stone countertop, Beige Royal, 1 single hole mixer	GB7IDCVU80ARCC1100
Stone countertop, Beige Royal, 1 single hole mixer, with legframe	GB7IDCVU80ARCC11LF
Stone countertop, Beige Royal, 1 double hole mixer	GB7IDCVU80ARCC1200
Stone countertop, Beige Royal, 1 double hole mixer, with legframe	GB7IDCVU80ARCC12LF
Stone countertop, Polar Grey, 1 single hole mixer	GB7IDCVU80ARSG1100
Stone countertop, Polar Grey, 1 single hole mixer, with legframe	GB7IDCVU80ARSG11LF
Stone countertop, Polar Grey, 1 double hole mixer	GB7IDCVU80ARSG1200
Stone countertop, Polar Grey, 1 double hole mixer, with legframe	GB7IDCVU80ARSG12LF





Width 800 mm, white with countertop in stone or wasbasin in white.



Washbasin, White, 1 single hole mixer	GB7IDCVU80DHWB1100
Washbasin, White, 1 double hole mixer	GB7IDCVU80DHWB1200
Stone countertop, Beige Royal, 1 single hole mixer	GB7IDCVU80DHCC1100
Stone countertop, Beige Royal, 1 double hole mixer	GB7IDCVU80DHCC1200
Stone countertop, Polar Grey, 1 single hole mixer	GB7IDCVU80DHSG1100
Stone countertop, Polar Grey, 1 double hole mixer	GB7IDCVU80DHSG1200





Width 1000 mm, brown oak with countertop in stone or wasbasin in white. Legframe as an alternative.




Washbasin, White, 1 single hole mixer	GB7IDCVU10AWWB1100
Washbasin, White, 1 single hole mixer, with legframe	GB7IDCVU10AWWB11LF
Washbasin, White, 1 double hole mixer	GB7IDCVU10AWWB1200
Washbasin, White, 1 double hole mixer, with legframe	GB7IDCVU10AWWB12LF
Washbasin, White, 2 single hole mixer	GB7IDCVU10AWWB2100
Washbasin, White, 2 single hole mixer, with legframe	GB7IDCVU10AWWB21LF
Washbasin, White, 2 double hole mixer	GB7IDCVU10AWWB2200
Washbasin, White, 2 double hole mixer, with legframe	GB7IDCVU10AWWB22LF
Stone countertop, Beige Royal, 1 single hole mixer	GB7IDCVU10AWCC1100
Stone countertop, Beige Royal, 1 single hole mixer, with legframe	GB7IDCVU10AWCC11LF
Stone countertop, Beige Royal, 1 double hole mixer	GB7IDCVU10AWCC1200
Stone countertop, Beige Royal, 1 double hole mixer, with legframe	GB7IDCVU10AWCC12LF
Stone countertop, Polar Grey, 1 single hole mixer	GB7IDCVU10AWSG1100
Stone countertop, Polar Grey, 1 single hole mixer, with legframe	GB7IDCVU10AWSG11LF
Stone countertop, Polar Grey, 1 double hole mixer	GB7IDCVU10AWSG1200
Stone countertop, Polar Grey, 1 double hole mixer, with legframe	GB7IDCVU10AWSG12LF
 	



Width 1000 mm, light oak with countertop in stone or wasbasin in white. Legframe as an alternative.





Washbasin, White, 1 single hole mixer	GB7IDCVU10ARWB1100
Washbasin, White, 1 single hole mixer, with legframe	GB7IDCVU10ARWB11LF
Washbasin, White, 1 double hole mixer	GB7IDCVU10ARWB1200
Washbasin, White, 1 double hole mixer, with legframe	GB7IDCVU10ARWB12LF
Washbasin, White, 2 single hole mixer	GB7IDCVU10ARWB2100
Washbasin, White, 2 single hole mixer, with legframe	GB7IDCVU10ARWB21LF
Washbasin, White, 2 double hole mixer	GB7IDCVU10ARWB2200
Washbasin, White, 2 double hole mixer, with legframe	GB7IDCVU10ARWB22LF
Stone countertop, Beige Royal, 1 single hole mixer	GB7IDCVU10ARCC1100
Stone countertop, Beige Royal, 1 single hole mixer, with legframe	GB7IDCVU10ARCC11LF
Stone countertop, Beige Royal, 1 double hole mixer	GB7IDCVU10ARCC1200
Stone countertop, Beige Royal, 1 double hole mixer, with legframe	GB7IDCVU10ARCC12LF
Stone countertop, Polar Grey, 1 single hole mixer	GB7IDCVU10ARSG1100
Stone countertop, Polar Grey, 1 single hole mixer, with legframe	GB7IDCVU10ARSG11LF
Stone countertop, Polar Grey, 1 double hole mixer	GB7IDCVU10ARSG1200
Stone countertop, Polar Grey, 1 double hole mixer, with legframe	GB7IDCVU10ARSG12LF
 	







Washbasin, White, 1 single hole mixer	GB71DCVU10DHWB1100
Washbasin, White, 1 double hole mixer	GB71DCVU10DHWB1200
Washbasin, White, 2 single hole mixer	GB71DCVU10DHWB2100
Washbasin, White, 2 double hole mixer	GB71DCVU10DHWB2200
Stone countertop, Beige Royal, 1 single hole mixer	GB71DCVU10DHCC1100
Stone countertop, Beige Royal, 1 double hole mixer	GB71DCVU10DHCC1200
Stone countertop, Polar Grey, 1 single hole mixer	GB71DCVU10DHSG1100
Stone countertop, Polar Grey, 1 double hole mixer	GB71DCVU10DHSG1200
 	

Width 1200 mm, brown oak with countertop in stone or wasbasin in white. Legframe as an alternative.



Washbasin, White, 2 single hole mixer	GB71DCVU12AWWB2100
Washbasin, White, 2 single hole mixer, with legframe	GB71DCVU12AWWB21LF
Washbasin, White, 2 double hole mixer	GB71DCVU12AWWB2200
Washbasin, White, 2 double hole mixer, with legframe	GB71DCVU12AWWB22LF
Stone countertop, Beige Royal, 2 single hole mixer	GB71DCVU12AWCC2100
Stone countertop, Beige Royal, 2 single hole mixer, with legframe	GB71DCVU12AWCC21LF
Stone countertop, Beige Royal, 2 double hole mixer	GB71DCVU12AWCC2200
Stone countertop, Beige Royal, 2 double hole mixer, with legframe	GB71DCVU12AWCC22LF
Stone countertop, Polar Grey, 2 single hole mixer	GB71DCVU12AWSG2100
Stone countertop, Polar Grey, 2 single hole mixer, with legframe	GB71DCVU12AWSG21LF
Stone countertop, Polar Grey, 2 double hole mixer	GB71DCVU12AWSG2200
Stone countertop, Polar Grey, 2 double hole mixer, with legframe	GB71DCVU12AWSG22LF
 	



Width 1200 mm, light oak with countertop in stone or wasbasin in white. Legframe as an alternative.



Washbasin, White, 2 single hole mixer	GB7IDCVU12ARWB2100
Washbasin, White, 2 single hole mixer, with legframe	GB7IDCVU12ARWB21LF
Washbasin, White, 2 double hole mixer	GB7IDCVU12ARWB2200
Washbasin, White, 2 double hole mixer, with legframe	GB7IDCVU12ARWB22LF
Stone countertop, Beige Royal, 2 single hole mixer	GB7IDCVU12ARCC2100
Stone countertop, Beige Royal, 2 single hole mixer, with legframe	GB7IDCVU12ARCC21LF
Stone countertop, Beige Royal, 2 double hole mixer	GB7IDCVU12ARCC2200
Stone countertop, Beige Royal, 2 double hole mixer, with legframe	GB7IDCVU12ARCC22LF
Stone countertop, Polar Grey, 2 single hole mixer	GB7IDCVU12ARSG2100
Stone countertop, Polar Grey, 2 single hole mixer, with legframe	GB7IDCVU12ARSG21LF
Stone countertop, Polar Grey, 2 double hole mixer	GB7IDCVU12ARSG2200
Stone countertop, Polar Grey, 2 double hole mixer, with legframe	GB7IDCVU12ARSG22LF



Width 1200 mm, white with countertop in stone or wasbasin in white.



Washbasin, White, 2 single hole mixer	GB7IDCVU12DHWB2100
Washbasin, White, 2 double hole mixer	GB7IDCVU12DHWB2200
Stone countertop, Beige Royal, 2 single hole mixer	GB7IDCVU12DHCC2100
Stone countertop, Beige Royal, 2 double hole mixer	GB7IDCVU12DHCC2200
Stone countertop, Polar Grey, 2 single hole mixer	GB7IDCVU12DHSG2100
Stone countertop, Polar Grey, 2 double hole mixer	GB7IDCVU12DHSG2200



# Artic bathroom furniture

Artic's timeless design makes all bathrooms more beautiful. Although Artic is a cultured range, the cabinets can easily 'swallow' everything you need to keep in a bathroom. The units are based on standard dimensions and feature generous storage areas and surface space, as well as a host of smart details. Cabinet doors and frames of the same colour create a harmonious bathroom.

## Colours wahsbasin



Glossy white



Matte white



Matte black



## Handles and knobs

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.

## Colours furniture



White



Ash grey
















Black ash wood









Peach

## Artic bathroom cabinet with sink

- Installation system that makes it quick and easy to fit and adjust the units
- Soft-close draws for soft and silent closing.
- Drawers with full-length pull-out provide a complete overview of all bits and bobs
- Available in different colours, with washbasins in glossy white, matt white or matt black
- Same material and colour on the cabinet frame, doors and drawers
- With space to run pipes behind the drawers
- Full-cover porcelain sink in slim design with generous surfaces
- Made of bathroom-class material for humid environments
- Simple, easy-to-clean water trap with pop-up function included
- Electrical socket available as extras
- A variety of handles in different styles are available as extras
- Also available with handle-free push open function

		Colour	ART No.
Width 600 mm with sink in glossy white or matte white			
		White – glossy white sink	GB71ACVU60TM01
		White – matte white sink	GB71ACVU60TMSW
		Black ash wood – glossy white sink	GB71ACVU60TK01
		Black ash wood – matte white sink	GB71ACVU60TKSW
		Ash grey – glossy white sink	GB71ACVU60TL01
		Ash grey – matte white sink	GB71ACVU60TLSW
		Peach – glossy white sink	GB71ACVU60T001
		Peach – matte white sink	GB71ACVU60T0SW
		 	
Width 600 mm with matt black sink			
		White	GB71ACVU60TM38
		Black ash wood	GB71ACVU60TK38
		Ash grey	GB71ACVU60TL38
		Peach	GB71ACVU60T038
		 	
		Drawer insert, 600 mm; fits the bottom drawer only	GB7199DRBL60
		Push-open function for 600 mm drawer; order 1 per drawer	GB7199PU60
Width 800 mm with sink in glossy white or matte white			
		White – glossy white sink	GB71ACVU80TM01
		White – matte white sink	GB71ACVU80TMSW
		Black ash wood – glossy white sink	GB71ACVU80TK01
		Black ash wood – matte white sink	GB71ACVU80TKSW
		Ash grey – glossy white sink	GB71ACVU80TL01
		Ash grey – matte white sink	GB71ACVU80TLSW
		Peach – glossy white sink	GB71ACVU80T001
		Peach – matte white sink	GB71ACVU80T0SW
		 	


			Colour	ART No.
Width 800 mm with matte black sink				
		White	GB71ACVU80TM38	
		Black ash wood	GB71ACVU80TK38	
		Ash grey	GB71ACVU80TL38	
		Peach	GB71ACVU80T038	
				
		Drawer insert, 800 mm; fits the bottom drawer only.	GB7199DRBL80	
		Push-open function for 800 mm drawer; order 1 per drawer	GB7199PU80	
Width 1000 mm with sink in glossy white or matte white				
		White – glossy white sink	GB71ACVU10TM011	
		White – matte white sink	GB71ACVU10TMSW1	
		Black ash wood – glossy white sink	GB71ACVU10TK011	
		Black ash wood – matte white sink	GB71ACVU10TKSW1	
		Ash grey – glossy white sink	GB71ACVU10TL011	
		Ash grey – matte white sink	GB71ACVU10TLWSW1	
		Peach – glossy white sink	GB71ACVU10T0011	
		Peach – matte white sink	GB71ACVU10T0SW1	
				
Width 1000 mm with matte black sink				
		White	GB71ACVU10TM381	
		Black ash wood	GB71ACVU10TK381	
		Ash grey	GB71ACVU10TL381	
		Peach	GB71ACVU10T0381	
				
		Drawer insert, 1000 mm; fits the bottom drawer only	GB7199DRBL10	
		Push-open function for 1000 mm drawer; order 1 per drawer	GB7199PU10	



Colour

ART No.


## Width 1000 mm with sink in glossy white or matte white, two mixer holes



White – glossy white sink	GB71ACVUI0TM012
White – matte white sink	GB71ACVUI0TMSW2
Black ash wood – glossy white sink	GB71ACVUI0TK012
Black ash wood – matte white sink	GB71ACVUI0TKSW2
Ash grey – glossy white sink	GB71ACVUI0TL012
Ash grey – matte white sink	GB71ACVUI0TLSW2
Peach – glossy white sink	GB71ACVUI0T0012
Peach – matte white sink	GB71ACVUI0T0SW2



## Width 1000 mm with matte black sink two mixer holes



White	GB71ACVUI0TM382
Black ash wood	GB71ACVUI0TK382
Ash grey	GB71ACVUI0TL382
Peach	GB71ACVUI0T0382



Drawer insert, 1000 mm; fits the bottom drawer only


GB7199DRBL10



Push-open function for 1000 mm drawer; order 1 per drawer






GB7199PU10

## Width 1200 mm with sink in glossy white or matt white, two mixer holes





White – glossy white sink	GB71ACVUI2TM01
White – matte white sink	GB71ACVUI2TMSW
Black ash wood – glossy white sink	GB71ACVUI2TK01
Black ash wood – matte white sink	GB71ACVUI2TKSW
Ash grey – glossy white sink	GB71ACVUI2TL01
Ash grey – matte white sink	GB71ACVUI2TLSW
Peach – glossy white sink	GB71ACVUI2T001
Peach – matte white sink	GB71ACVUI2T0SW




		Colour	ART No.
Width 1200 mm with matte black sink two mixer holes			
		White	GB71ACVUI2TM38
		Black ash wood	GB71ACVUI2TK38
		Ash grey	GB71ACVUI2TL38
		Peach	GB71ACVUI2T038
			
		Drawer insert, 1200 mm; fits the bottom drawer only	GB7199DRBL12
		Push-open function for 1200 mm drawer; order 1 per drawer	GB7199PU12

Leg frame with adjustable feet

















- Provides a more “furnished” feel in the bathroom, available in white or black
- Leg frame for bathroom cabinet (the cabinet must always be fixed to the wall)

		Colour	ART No.
		White	GB71ACLFVUWM
		Matte black	GB71ACLFVUBL

Alternative plug for bottom valve			
		Matte black plug for bottom valve (for replacing the chromed version supplied)	GB7199ACPOPBL









## Artic mirror cabinet

- Double-sided soft-closing mirror doors
- Integrated electrical socket inside the cabinet
- Frosted edges at the bottom of the mirror prevent smudges
- Knick-knack magnet and magnifying mirror included, for positioning as required
- LED lighting under the cabinet
- Converter included
- 2 x movable glass shelves
- For installation in area 2 in the bathroom
- Encapsulation class IP44
- Intended for fixed installation on walls
- The electrical installation must be performed by an authorised electrician
- Installation system, quick and easy to fit on the wall.
- Bathroom-class particle board for humid environments

		Colour	ART No.
Width 600 mm			
		White	GB71ACMC60TM
		Black ash wood	GB71ACMC60TK
		Ash grey	GB71ACMC60TL
		Peach	GB71ACMC60T0
		 	
Width 800 mm			
		White	GB71ACMC80TM
		Black ash wood	GB71ACMC80TK
		Ash grey	GB71ACMC80TL
		Peach	GB71ACMC80T0
		 	
Width 1000 mm			
		White	GB71ACMC10TM
		Black ash wood	GB71ACMC10TK
		Ash grey	GB71ACMC10TL
		Peach	GB71ACMC10T0
		 	
Width 1200 mm (consists of 2 x 600 mm cabinets)			
		White	GB71ACMC12TM
		Black ash wood	GB71ACMC12TK
		Ash grey	GB71ACMC12TL
		Peach	GB71ACMC12T0
		 	







## Artic wall cabinet




- Soft-close doors
- Two movable glass shelves
- Can be fitted as a top cabinet or on a leg frame to create a more furnished look in the bathroom
- Available in two depths: 32 cm and 39 cm
- Same material and colour on the cabinet frame and door
- Installation system for quick and easy fitting on the wall
- A variety of handles in different styles are available as extras
- Made of bathroom-class material for humid environments

		Colour	ART No.
Width 600 mm, depth 390 mm			
		White	GB71ACSC6039TM
		Black ash wood	GB71ACSC6039TK
		Ash grey	GB71ACSC6039TL
		Peach	GB71ACSC6039TO
		 	
Width 600 mm, depth 320 mm			
		White	GB71ACSC6032TM
		Black ash wood	GB71ACSC6032TK
		Ash grey	GB71ACSC6032TL
		Peach	GB71ACSC6032TO
		 	




## Artic high cabinet

- Soft-close doors
- Reversible doors for right- or left-hand installation
- One fixed wooden shelf and four movable glass shelves
- Can be fitted as a top cabinet or on a leg frame to create a more furnished look in the bathroom
- Same material and colour on the cabinet frame and door
- With smart storage on the inside of the upper door
- Installation system for quick and easy fitting on the wall
- A variety of handles in different styles are available as extras
- Made of bathroom-class material for humid environments

		Colour	ART No.
Width 400 mm, depth 390 mm			
		White	GB71ACTC40TM
		Black ash wood	GB71ACTC40TK
		Ash grey	GB71ACTC40TL
		Peach	GB71ACTC40TO
		 	
		<b>Laundry basket</b> Pull-out laundry basket for the lower section of the high cabinet	
		GB71GBLB30	

		Colour	ART No.
Width 300 mm, depth 320 mm			
		White	GB71ACTC30TM
		Black ash wood	GB71ACTC30TK
		Ash grey	GB71ACTC30TL
		Peach	GB71ACTC30TO
			

Leg frame with adjustable feet, 390 mm deep for wall cabinet or high cabinet (the cabinet must always be fixed to the wall)

		White	GB71ACLF39WM
		Matt black	GB71ACLF39BL

Leg frame with adjustable feet, 320 mm deep for wall cabinet or high cabinet (the cabinet must always be fixed to the wall)

		White	GB71ACLF32WM
		Matt black	GB71ACLF32BL



# Artic Small bathroom furnitures

Artic Small is a furniture series in a slim design for the small, cramped or asymmetrical toilet space. The concept is "mini" - but with the same high level of quality, design and ambition as products in our regular Articserie. Artic Small makes the small bathroom more beautiful and comfortable



## Colours wahsbasin



## Handels and knobs

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.

## Colours furniture




## Artic Small washbasin cabinet with sink

- Furniture package with cabinet and wash basin
- The cabinet is delivered assembled
- Door with Soft Close for soft closing
- Reversible door for right- or left-hand hanging
- One fixed shelf
- Opening in the cupboard for drainage towards the floor
- Available in several different colors with wash basins in glossy white, matt white or matt black
- Made in bathroom grade material for humid environments
- Washbasin in hygienic, durable and densely sintered sanitary porcelain
- A variety of handles in different styles as options
- Also available with handleless opening, push-open
- Water trap and bottom valve not included

		Colour	ART No.
Bathroom cabinet with sink in glossy white or matte white, basin on the right			
		White – glossy white sink	GB71ACVC34TM01R
		White – matte white sink	GB71ACVC34TMSWR
		Black ash wood – glossy white sink	GB71ACVC34TK01R
		Black ash wood – matte white sink	GB71ACVC34TKSWR
		Ash grey – glossy white sink	GB71ACVC34TL01R
		Ash grey – matte white sink	GB71ACVC34TLSWR
		Peach – glossy white sink	GB71ACVC34T001R
		Peach – matte white sink	GB71ACVC34T0SWR
		 	
Bathroom cabinet with matte black sink, basin on the right			
		White	GB71ACVC34TM38R
		Black ash wood	GB71ACVC34TK38R
		Ash grey	GB71ACVC34TL38R
		Peach	GB71ACVC34T038R
		 	
Bathroom cabinet with sink in glossy white or matte white, basin on the left			
		White – glossy white sink	GB71ACVC34TM01L
		White – matte white sink	GB71ACVC34TMSWL
		Black ash wood – glossy white sink	GB71ACVC34TK01L
		Black ash wood – matte white sink	GB71ACVC34TKSWL
		Ash grey – glossy white sink	GB71ACVC34TL01L
		Ash grey – matte white sink	GB71ACVC34TLSWL
		Peach – glossy white sink	GB71ACVC34T001L
		Peach – matte white sink	GB71ACVC34T0SWL
		 	
Bathroom cabinet with matte black sink, basin on the left			
		White	GB71ACVC34TM38L
		Black ash wood	GB71ACVC34TK38L
		Ash grey	GB71ACVC34TL38L
		Peach	GB71ACVC34T038L
		 	

Artic Small  
high cabinet  
with mirror door

- Space-saving design and functional storage solutions for the small guest bathroom
- The cabinet is delivered assembled
- Door with Soft Close for soft closing
- Reversible door for right- or left-hand hanging
- One fixed and two movable shelves
- Mirror on the door provides extra functionality without taking up more space
- Made in bathroom grade material for humid environments
- A variety of handles in different styles as options. Choose one to be mounted on the back of the door as drilling in the mirror is not an option.
- Also available with handle less opening, push-open



Colour	ART No.
White	GB71ACTC34TM
Black ash wood	GB71ACTC34TK
Ash grey	GB71ACTC34TL
Peach	GB71ACTC34T0

Water trap  
with bottom valve

- Pop up valve in chrome
- Fits drain connection to wall or floor




Colour	ART No.
Water trap kit for Artic Small including pop-up valve in chrome	GB7199WTACS
Matte black plug for bottom valve (for replacing the chromed version supplied)	GB41636575 53



Soap dispenser holder  
for mounting on wall

- Wall holder for soap pump in stripped-down design
- Fastens with strong double-sided tape



Colour	ART No.
Chrome	GB7199SDCR
Black	GB7199SDBL



Artic Small / Estetic wall hung toilet / Estetic washbasin mixer

## Graphic bathroom furniture

Graphic features slightly daintier dimensions than most other bathroom furniture units. The design is based on the repetition of graphic shapes and dimensions; for example, three wall cabinets on top of each other are exactly the same height as a high cabinet, making it easy to furnish with Graphic. Moreover, wall cabinets and high cabinets are available in two depths to suit both large and small bathrooms. Cabinet doors and frames of the same colour create a harmonious bathroom.



### Colours furniture



White



Green



Grey



Beige



### Handles and knobs

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.










## Graphic bathroom cabinet with sink













- With a narrower depth to allow installation in even small bathrooms.
- 'Secret compartment' for storing small items, and space for fitting an electrical socket.
- The fold-out 'secret compartment' provides extra surface space when necessary and contains a knick-knack magnet.
- Soft-close draws for soft and silent closing.
- Drawers with full-length pull-out for a complete overview of all your bits and bobs.
- Space to run pipes behind the drawers.
- Space-saving water trap with pop-up function included.
- Available in three different colours
- Same material and colour on the cabinet frame, doors and drawers
- Material: Bathroom-class MDF adapted to humid environments
- Full-coverage porcelain washbasin
- Installation system that is quick and easy to fit on the wall and then adjust to the right position.
- A variety of handles in different styles are available as extras
- Electrical socket and drawer insert available as extras

		Colour	ART No.
Width 450 mm			
		White	GB71GCVU45DHWB
		Grey	GB71GCVU45GRWB
		Green	GB71GCVU45GNWB
		Beige	GB71GCVU45BBWB
			
		Drawer insert, 450 mm. Fits the bottom drawer only	GB71GCDR45
Width 600 mm			
		White	GB71GCVU60DHWB
		Grey	GB71GCVU60GRWB
		Green	GB71GCVU60GNWB
		Beige	GB71GCVU60BBWB
			
		Drawer insert, 600 mm. Fits the bottom drawer only	GB71GCDR60
Width 800 mm			
		White	GB71GCVU80DHWB
		Grey	GB71GCVU80GRWB
		Green	GB71GCVU80GNWB
		Beige	GB71GCVU80BBWB
			
		Drawer insert, 800 mm. Fits the bottom drawer only	GB71GCDR80

		Colour	ART No.
Width 1000 mm			
		White	GB71GCVU10DHWB
		Grey	GB71GCVU10GRWB
		Green	GB71GCVU10GNWB
		Beige	GB71GCVU10BBWB
			
		Drawer insert, 1000 mm. Fits the bottom drawer only	GB71GCDR10









## Graphic mirror cabinet

- Double-sided, soft-close mirror doors
- Two movable glass shelves
- Space to install an electrical socket
- Frosted bottom edge to prevent fingerprints on the mirror
- Material: Bathroom-class MDF adapted to humid environments
- Installation system that is quick and easy to fit on the wall and then adjust to the right position.
- Bathroom light and electrical socket as extras
- Magnifying mirror included, for positioning as required
- Knick-knack magnet included, for positioning as required

		Colour	ART No.
Width 450 mm			
		White	GB71GCMC45DH
		Grey	GB71GCMC45GR
		Green	GB71GCMC45GN
		Beige	GB71GCMC45BB
			
Width 600 mm			
		White	GB71GCMC60DH
		Grey	GB71GCMC60GR
		Green	GB71GCMC60GN
		Beige	GB71GCMC60GBB
			
Width 800 mm			
		White	GB71GCMC80DH
		Grey	GB71GCMC80GR
		Green	GB71GCMC80GN
		Beige	GB71GCMC80BB
			
Width 1000 mm			
		White	GB71GCMC10DH
		Grey	GB71GCMC10GR
		Green	GB71GCMC10GN
		Beige	GB71GCMC10BB
			

## Graphic wall cabinet

- Available in two depths for flexible storage, even in limited space
- Soft-close doors
- Two movable glass shelves
- Can be combined with multiple Graphic wall and high cabinets to create different storage modules
- Same material and colour on the cabinet frame and doors
- Material: Bathroom-class MDF adapted to humid environments
- Installation system that is quick and easy to fit on the wall and then adjust to the appropriate position.
- Finish off with a top panel with integrated lighting
- A variety of handles in different styles are available as extras

		Colour	ART No.
Depth 160 mm			
		White	GB71GCSC6016DH
		Grey	GB71GCSC6016GR
		Green	GB71GCSC6016GN
		Beige	GB71GCSC6016BB
		 	
Depth 320 mm			
		White	GB71GCSC6032DH
		Grey	GB71GCSC6032GR
		Green	GB71GCSC6032GN
		Beige	GB71GCSC6032BB
		 	







## Graphic storage cube

- Can be combined with Graphic wall cabinets to create storage modules
- Material: Bathroom-class MDF adapted to humid environments
- Installation system that is quick and easy to fit on the wall and then adjust to the appropriate position.

		Colour	ART No.
		White	GB71GCOS30DH
		Grey	GB71GCOS30GR
		Green	GB71GCOS30GN
		Beige	GB71GCOS30BB
			

## Graphic top panel for wall cabinet



- Expands surface space and elevates the appearance of your Graphic wall cabinet.
- Two different lengths for fitting on one or two adjacent wall cabinets
- Converter included
- Not dimable
- Integrated LED-lighting illuminates the interior of the cabinet when the doors are open and adds decorative lighting when they are closed.
- Material: Bathroom-class MDF and particle board adapted to humid environments

		Colour	ART No.
For wall cabinet, depth 160 mm			
		White, 3000 K, 120lm	GB71GCTP6016DH
		Grey, 3000 K, 120lm	GB71GCTP6016GR
		Green, 3000 K, 120lm	GB71GCTP6016GN
		Beige, 3000 K, 120lm	GB71GCTP6016BB
			
Intended for two 600 mm cabinets fitted next to each other.			
		White, 3000 K, 260lm	GB71GCTP1216DH
		Grey, 3000 K, 260lm	GB71GCTP1216GR
		Green, 3000 K, 260lm	GB71GCTP1216GN
		Beige, 3000 K, 260lm	GB71GCTP1216BB
			

Colour

ART No.

For wall cabinet, depth 320 mm



White, 3000 K, 120lm

GB71GCTP6032DH

Grey, 3000 K, 120lm

GB71GCTP6032GR

Green, 3000 K, 120lm


GB71GCTP6032GN

Beige, 3000 K, 120lm

GB71GCTP6032BB



Intended for two 600 mm cabinets fitted next to each other.



White, 3000 K, 260lm

GB71GCTP1232DH

Grey, 3000 K, 260lm

GB71GCTP1232GR

Green, 3000 K, 260lm

GB71GCTP1232GN

Beige, 3000 K, 260lm

GB71GCTP1232BB




## Graphic high cabinet

- Available in two depths for flexible storage, even in limited space
- With a narrower depth (160 mm) to allow installation in even small bathrooms
- The deeper model (320 mm) features smart storage in the upper door
- Soft-close doors
- Reversible doors for right- or left-hand installation
- One fixed wooden shelf and four movable glass shelves
- Can be combined with other Graphic wall- and high cabinets to create storage modules
- One high cabinet is the same height as three Graphic wall cabinets
- Same material and colour on the cabinet frame and doors
- Material: Bathroom-class MDF adapted to humid environments
- Installation system that is quick and easy to fit on the wall and then adjust to the right position.
- A variety of handles in different styles are available as extras

Colour

ART No.

Depth 160 mm



White

GB71GCTC16DH

Grey

GB71GCTC16GR

Green


GB71GCTC16GN

Beige

GB71GCTC16BB



Depth 320 mm



White

GB71GCTC32DH

Grey

GB71GCTC32GR

Green

GB71GCTC32GN

Beige

GB71GCTC32BB



## Plan with the bathroom planner

With Gustavsberg's bathroom planner, you can draw up your bathroom and test which furniture and other products you want in your bathroom. You will find the bathroom planner, inspiration and information about our wide range for the entire bathroom on our website.



Scan and discover the bathroom planner





## Graphic Base bathroom furniture

Our popular Graphic range with Graphic Base: a simpler design and a lower price – so that even more people can enjoy the benefits a fully functional bathroom. While there are still all kinds of smart Graphic solutions to choose from, Graphic Base is only available in white, and only with a smooth door finish. This, in turn, simplifies the choice of mixers and other accessories. We want it to be simple and straightforward for everyone to put together a neat and functional bathroom.



### Handles and knobs

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.

















### Colour furniture



White













## Graphic Base bathroom cabinet with sink

- With a narrower depth to allow installation in even small bathrooms
- Space to fit an electrical socket in the drawer (optional extra)
- Soft-close draws for soft and silent closing
- Drawers with 3/4-length pull-out
- Space-saving water trap with pop-up function included
- Same material and colour on the cabinet frame, doors and drawers
- Material: moisture-resistant fibreboard rated for bathrooms
- Porcelain washbasin
- Installation system that is quick and easy to fit and adjust
- A variety of handles in different styles are available as extras

		Colour	ART No.
Width 450 mm			
		White	GB71GBVU45AGWB
		 	
Width 600 mm			
		White	GB71GBVU60AGWB
		 	
Width 800 mm			
		White	GB71GBVU80AGWB
		 	
Width 600 mm			
		White	GB71GBVC60AGWB
		 	


## Graphic Base mirror cabinet

- Double-sided, soft-close mirror doors
- Two movable glass shelves
- Space to install an electrical socket
- Material: moisture-resistant fibreboard rated for bathrooms
- Installation system that is quick and easy to fit on the wall
- Lighting and electrical socket as optional extras

		Colour	ART No.
Width 450 mm			
		White	GB71GBMC45AG00
		 	
Width 600 mm			
		White	GB71GBMC60AG00
		 	
Width 800 mm			
		White	GB71GBMC80AG00
		 	

Grapic Base  
high cabinet

- Soft-close doors
- Reversible doors for right- or left-hand installation
- Four movable glass shelves
- Material: moisture-resistant fibreboard rated for bathrooms
- Easy-to-fit installation system
- Pull-out laundry basket as an optional extra
- Same material and colour on the cabinet frame, doors and drawers
- A variety of handles in different styles are available as extras



Colour

ART No.

White

GB71GBTC30AG



Pull-out laundry basket  
for high cabinet

- Pull-out laundry basket for the lower section of the high cabinet
- Removable metal wire basket for easy transport to the laundry room.
- Supplied complete with installation fittings and pull-out rails.
- Suitable for left- and right-hand installation



Colour

ART No.

Grey

GB71GBLB30

## Mirrors and lighting

Don't forget about the lighting when planning your bathroom. Weak light – or excessively bright light – will make the bathroom environment dull and sad. A good rule of thumb is to have at least one light for 'general lighting' and one directed light for 'face work'. Make sure to include mirrors in your calculations as well. It is quite usual to install a mirror above the washbasin, but if you have room, use mirrors as furnishing details – above a wall cabinet, for instance. Mirrors reflect light and increase the feeling of space in the room.




Mirror with lighting  
and black shelf

- All installation components supplied
  - Light temperature 4000K
  - IP44 classified
  - Converter included
  - Not dimmable
- Voltage: 220-240V
  - The electrical installation must be performed by an authorised electrician
  - The bottom shelf can be removed

ART No.


Width 600 mm



10W, 640lm

GB7199ML60BL


Width 800 mm



11W, 850lm

GB7199ML80BL


Width 1000 mm



13W, 1140lm

GB7199ML10BL

Width 1200 mm




15W, 1470lm

GB7199ML12BL

Backlit mirror

- Back lighted mirror for a pleasant mood light
  - IP44-class
  - Light source: LED
  - Power: 14W
  - Colour temperature: 4000 K
  - Lumen: 1392 lm
- Dimmable: No
  - Lightsource included
  - Voltage: 220-240 V
  - Protection class: 2
  - Converter included
  - The electrical installation must be performed by an authorized electrician

ART No.



14W, 1392lm

GB7199ML35




## Backlit mirror

- Back lighted mirror for a pleasant mood light
- IP44-class
- Light source: LED
- Colour temperature: 3000 K
- All installation components supplied
- Lightsource included
- Voltage: 220-240 V
- Protection class: 2
- Converter included
- The electrical installation must be performed by an authorized electrician

ART No.


Ø 600 mm



4W, 457lm

GB7199MRL60


Ø 800 mm



4W, 457lm

GB7199MRL80

Ø 1000 mm




4W, 490lm

GB71GCMR10


## Ducentic bathroom mirror

- Mirror with polished galvanized steel frame
- Available in two sizes
- All mounting hardware included

ART No.



GB71DCMFSMCR



GB71DCMFLGCR

Lighting for mirror cabinets  
and mirrors

- All installation components supplied
  - LED lighting
  - Encapsulation class IP44
  - Converter included
  - Voltage: 220-240V
- Not dimmable
  - The electrical installation must be performed by an authorised electrician

		Colour	ART No.
Length 300 mm			
		Chrome, 3000 K, 400lm	GB71GCCL30
		Chrome, 4000 K, 400lm	GB71GCCL30CR4
		Black, 3000 K, 400lm	GB71GCCL30BL
Length 500 mm			
		Chrome, 3000 K, 640lm	GB71GCCL50
		Chrome, 4000 K, 640lm	GB71GCCL50CR4
		Black, 3000 K, 640lm	GB71GCCL50BL

Electrical socket

- A space-saving electrical socket for positioning in the cabinet of your choice. For charging electric toothbrushes, or for using a hair dryer or electric razor
  - All installation components supplied
- Encapsulation class IP44
  - The electrical installation must be performed by an authorised electrician

		Colour	ART No.
		White	GB711800220



Ducentic bathroom cabinet / Ducentic bathroom mirror / Ducentic washbasin mixer








## Handles and knobs









The cherry on top: the handles The perfect way to change the expression of your bathroom, from trendy modern to traditional rural. All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.



## Handles and knobs

- Several of the knobs can also be mounted on walls as towel hooks.

		Colour	Dimensions	ART No.
	Handles H2	Black/chrome	C-C between screws 96 mm	GB7199H2CW096
			C-C between screws 128 mm	GB7199H2CW128
	Handles H4	Chrome	C-C between screws 128 mm	GB7199H4CR128
			C-C between screws 160 mm	GB7199H4CR160
			C-C between screws 224 mm	GB7199H4CR224
	Handles H4	Black	C-C between screws 128 mm	GB7199H4BL128
			C-C between screws 160 mm	GB7199H4BL160
			C-C between screws 224 mm	GB7199H4BL224
	Handles H5	White	C-C between screws 32 mm	GB7199H5WH032
			C-C between screws 128 mm	GB7199H5WH128
	Handles H8	Chrome/black leather	C-C between screws 160 mm	GB7199H8CB160
		Black/black leather	C-C between screws 160 mm	GB7199H8BB160
	Handles H9	Black ash wood	C-C between screws 128 mm	GB7199H9BL128
		Black ash wood	C-C between screws 256 mm	GB7199H9BL256
		Natural oak	C-C between screws 128 mm	GB7199H9OK128
		Natural oak	C-C between screws 256 mm	GB7199H9OK256
	Handles H10	Black	C-C between screws 160 mm	GB7199H10BL160
		Black	C-C between screws 256 mm	GB7199H10BL256
		Brass	C-C between screws 160 mm	GB7199H10BR160
		Brass	C-C between screws 256 mm	GB7199H10BR256

		Colour	Dimensions	ART No.
	Handles H11	Polished chrome	C-C between screws 128 mm	GB7199H11CR128
		Polished chrome	C-C between screws 160 mm	GB7199H11CR160
		Polished brass	C-C between screws 128 mm	GB7199H11BR128
		Polished brass	C-C between screws 160 mm	GB7199H11BR160
		Matte black	C-C between screws 128 mm	GB7199H11BL128
		Matte black	C-C between screws 160 mm	GB7199H11BL160
	Handles H12	Polished chrome	C-C between screws 128 mm	GB7199H12CR128
		Polished chrome	C-C between screws 160 mm	GB7199H12CR160
		Polished brass	C-C between screws 128 mm	GB7199H12BR128
		Polished brass	C-C between screws 160 mm	GB7199H12BR160
		Matte black	C-C between screws 128 mm	GB7199H12BL128
		Matte black	C-C between screws 160 mm	GB7199H12BL160
	Knob K1 for furniture units or walls	Porcelain/brass	ø 30 mm	GB7199K1PB000
	Knob K2 for furniture units or walls	Chrome	ø 25 mm	GB7199K2CR000
	Knob K5 for furniture units or walls	Brass	ø 24 mm	GB7199K5BR000
	Knob K6 for furniture units or walls	Black	ø 27 mm	GB7199K6BL000
		White	ø 27 mm	GB7199K6WH000
	Knob K7 for furniture units or walls	Chrome	ø 25 mm	GB7199K7CR000
	Knob K8 for furniture units or walls	White marble/ brushed chrome	ø 28 mm	GB7199K8WM000
		Green marble/brushed chrome	ø 28 mm	GB7199K8GM000



## Handles and knobs

- Several of the knobs can also be mounted on walls as towel hooks.

		Colour	Dimensions	ART No.
	Knob K9 for furniture units or walls	Brass	ø 16 mm	GB7199K9BR000
		Black	ø 16 mm	GB7199K9BL000
	Knob K10 for furniture units or walls	Black	Width 60 mm	GB7199K10BL00
		Brushed brass	Width 60 mm	GB7199K10BR00
	Knob K11 for furniture units or walls	Black	ø 28 mm	GB7199K11BL00
		Chrome	ø 28 mm	GB7199K11CR00
		Brushed brass	ø 28 mm	GB7199K11BR00
	Knob K12	Matte black		GB7199K12BL00
		Polished chrome		GB7199K12CR00
		Polished brass		GB7199K12BR00
Push open function for washstand drawers Artic    An option if you prefer not to fit handles to the washstand drawers				
	Push open set for 60 cm washstand			GB7199PU60
	Push open set for 80 cm washstand			GB7199PU80
	Push open set for 100 cm washstand			GB7199PU10
	Push open set for 120 cm washstand			GB7199PU12
Push open for doors in Artic, Artic Small och Graphic series				
	Push open set for door			GB7199PUDOOR

## Artic Pro furniture for laundry areas

With Artic Pro – Gustavsberg's range of products intended for the laundry area – you can make your laundry room or the laundry section of your bathroom as stylish as the rest of the bathroom.

A white side section with adjustable feet effectively conceals the washing machine or laundry basket from the side

### Handles and knobs

All handles and knobs fit all our bathroom furniture units. Several of the knobs can also be mounted on walls as towel hooks.



Worktop sections in white or matte black are available to order in bespoke sizes to fit your laundry room precisely.

The wall cabinet – in white – is lightly taller than most other similar cabinets in order to facilitate storage.





## Artic Pro wall cabinet


- Soft-close door
- Two movable wood shelves
- Ideal for use as a top cabinet in a laundry room
- Installation system for quick and easy fitting on the wall
- A variety of handles in different styles are available as extras
- Made of bathroom-class material for humid environments

			Colour	ART No.
Width 600 mm				
		White		GB71ACSC6070TM
		 		
Width 400 mm				
		White		GB71ACSC4070TM
		 		

## Artic Pro worktop

- Available in bespoke lengths – see the range of lengths in the item description
- Anti-fingerprint surface
- Extra scratch-proof and durable surface that is easy to keep clean
- Resistant to chemicals
- Free from nano-particles

			ART No.
White			
		Length 200–740 mm	GB71WT0200TQ
		Length 741–1400 mm	GB71WT0741TQ
		Length 1401–1980 mm	GB71WT1401TQ
		Length 1981–2500 mm	GB71WT1981TQ
NB! State the exact measurement in mm when ordering			
Matte black			
		Length 200–740 mm	GB71WT0200TN
		Length 741–1400 mm	GB71WT0741TN
		Length 1401–1980 mm	GB71WT1401TN
		Length 1981–2500 mm	GB71WT1981TN
NB! State the exact measurement in mm when ordering			

Artic pro angle fitting and bracket for installing the worktop			
		Angle fitting	GB71WTBRKT
		Bracket	GB71WTCONS

## Artic Pro covering side

- Matches the depth of the worktop
- Conceals the washing machine or laundry basket
- The adjustable foot lifts the side section a little way off the floor to eliminate the risk of moisture damage

		Colour	ART No.
		White	GB71WTSPAG

# Mixers

Gustavsberg has been a world leader in technology that saves water, energy and money since the 1970s. Today, we enjoy a deserved reputation for our environmentally certified and -declared products, and many of our mixers meet the requirements of various environmental assessment systems. Our plant in Vårgårda, Sweden, where we have been manufacturing mixers since 1920, is ISO certified in the fields of quality, the environment, energy and work environment.

Selecting a Gustavsberg mixer is a simple way to make a sustainable and confident choice. Not forgetting the fact that it will be an ornament to your bathroom.

## THINGS TO THINK ABOUT

Spend a little time studying all the innovative functions of our mixers (see below). You are sure to pick up on some smart function or other that will facilitate or enrich your life in the bathroom. Do you have young children? Then choose a smart thermostatic mixer that regulates the water temperature and eliminates the risk of scalding.



### COLD-START

Innovative technology ensures that the mixer supplies 100% cold water from its start position – facing forward – eliminating unnecessary use of hot water. Saves energy and money every time you use it.



### SMART INSIDE

Thanks to the smart, replaceable components, the mixer can be upgraded in the future to add new, even smarter functions. This extends the mixer's lifetime and makes it even more sustainable.



### ELECTRONIC SHUT-OFF VALVE

The smart self-closing valve increases water safety in your kitchen. Choose between three timing settings when the valve is open. A discreet led lamp (green, blue, yellow) communicates your selected time setting and turns off when the valve is closed.



### EVEN TEMPERATURE

Thermostatic mixers feature built-in automatic scald protection and hot-water safety stop with type-approved non-return valves. This means that the mixers react quickly to the changes in temperature and pressure that can arise in the water flow, and even out the differences.



### ADJUSTABLE FLOW

A smart eco-function that allows individual setting of the max flow of the mixer. This makes it simple for you to adjust the max flow, saving water and energy on your own terms. The function is fully adjustable for individual setting.



### SAFE TOUCH

All thermostatic mixers from Gustavsberg are fitted with a safe touch function, which means they are designed to lead the hot water along the rear side of the mixer. This minimises the heat level on the front side of the thermostat, thus reducing the risk of burns.



### LEAKAGE BREAKER

If water comes into contact with the detector, the valve closes immediately and the leakage breaker's red led lamp will flash. Even if the valve is closed, the led lamp flashes if there are leakages from other devices.



### QUICK FIT

The mixer is installed using a quick fit nut that is simply pushed up to its stop position and then tightened. This smart solution simplifies installation and saves time, money and sore backs!



### ECO-FLOW

The mixer features an effective, optimised flow of water. You therefore enjoy the same wonderful, functional experience as always, but using less water and energy. Kind on the environment – and on your wallet.



### LEAD-FREE

The mixer is made of material whose total weight includes less than 0.1% Lead. As such, it is an eco-smart mixer that meets stringent requirements with reference to lead content. The mixer features a discreet laser marked symbol on its rear side to facilitate traceability.



### DUAL FUNCTION

The mixer is operated as normal with a lever, but is also fully control-able with the digital control. A led light communicates the selected temperature. For smarter use, flow and temperature can be program-med in three favourite settings that are activated via quick select.



Estetic kitchen sink mixer Duo sensor











Estetic shower mixer



Estetic washbasin mixer









## Ducentic washbasin mixer

- Created for the 200 year anniversary of Gustavsberg, celebrating the heritage of craftsmanship and design
- Swiveling spout, can be locked at 0, 60 or 110 degrees, or asymmetrical
- Adjustable max. temperature for improved scald protection
- Type approved flexible water connection for easier installation
- Backflow protection in accordance with SS-EN 1717 [AA]

			ART No.
		<b>Ducentic washbasin mixer</b> Chrome Polished brass 	GB41217051 GB4121705119
		<b>Ducentic washbasin mixer with separate handle</b> Chrome Polished brass 	GB41217251 GB4121725119
		<b>Push-down valve</b> Push-down valve in polished brass	GB4163657519

## Estetic washbasin mixer











- Organic design idiom that matches bathrooms of all kinds
- The extra tall model suits both kitchen sinks and top-mounted bathroom sinks
- Adjustable flow - facilitates, adjustable maximum flow
- Adjustable max. temperature for improved scald protection
- Type approved flexible water connection for easier installation
- Available in several color options

			ART No.
		<b>Estetic washbasin mixer</b> Chrome Matte white Matte black 	GB41218051 GB41218051 41 GB4121805053
		<b>Estetic washbasin mixer, tall model, functions as a kitchen faucet or with top-mounted bathroom sinks</b> Chrome Matte white Matte black 	GB41218251 GB41218251 41 GB41218251 53
		<b>Estetic push-down valve with porcelain plug (chrome in metal)</b> Chrome Standard white Matte white Black Matte black	GB41636575 01 GB41636575 25 GB41636575 41 GB41636575 23 GB41636575 53





















## Epic washbasin mixer


- Contemporary design
- Eco-flow for efficient water- and energy consumption
- Soft move ceramic inside ensures soft and precise maneuvering
- Adjustable max. temperature for improved scald protection
- Approved flexible water connection for easier installation
- Washbasin mixer with side shower facilitates cleaning and intimate hygiene
- Available in several color options

			ART No.
		<b>Epic washbasin mixer</b> Chrome Matte black Brushed brass  	GB41219951 GB41219951 53 GB41219951 24
		<b>Epic washbasin mixer with side shower and wall bracket</b> Chrome Matte black Brushed brass  	GB41219961 GB41219961 53 GB41219961 24
		<b>Push-down valve</b> Chrome Matte black Brushed brass	GB41636575 01 GB41636575 53 GB41636575 24

Nautic  
washbasin mixer

- Energy classification A or C saves water and energy
- Grip-friendly lever with clear color marking for hot and cold water
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class A)
- Eco-flow for efficient water- and energy consumption
- Adjustable flow - facilitates, adjustable maximum flow limitation
- Soft move, ceramic seal ensures soft and precise manoeuvring
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Directed water angle provides less splashing and plenty of room for hands
- Patented quick mounting nut for easy installation

			ART No.
		<p><b>Nautic washbasin mixer, Energy class A</b></p> <p>Lead-free</p> <p>Lead-free, Eco-Flow max 1,9 l/m</p> <p>Lead-free, Eco-Flow max 3 l/m</p> <p>Eco-Flow max 3 l/m</p> <p>With G3/8" connection</p> <p>With strainer plug valve</p> <p><b>Nautic washbasin mixer, Energy class C</b></p> <p>With G3/8" connection</p> 	<p>GB41216047</p> <p>GB412160470</p> <p>GB412160470LB</p> <p>GB412160470B</p> <p>GB41216047B</p> <p>GB41216047R</p> <p>GB41216043</p> <p>GB41216051</p> <p>GB41216051R</p>
		<p><b>Nautic washbasin mixer with side spray and wall bracket, Energy class A</b></p> <p>Lead-free</p> <p>Lead-free, Eco-Flow max 3 l/m</p> <p><b>Nautic washbasin mixer with side shower and wall bracket, Energy class C</b></p> 	<p>GB41216147</p> <p>GB412161470</p> <p>GB412161470B</p> <p>GB41216151</p>
		<p><b>Nautic washbasin mixer with washing machine turn off, side spray and wall mounting, Energy class A</b></p> 	<p>GB41216187</p>
		<p><b>Nautic washbasin mixer, 150 mm spout, Energy class A</b></p> <p>Lead-free</p> <p>Lead-free, Eco-Flow max 3 l/m</p> <p>With G3/8" connection</p> 	<p>GB41216045</p> <p>GB412160450</p> <p>GB412160450B</p> <p>GB41216045R</p>
		<p><b>Nautic washbasin mixer, 150 mm spout, with side spray and wall bracket, Energy class A</b></p> <p>Lead-free</p> 	<p>GB41216145</p> <p>GB412161450</p>
		<p><b>Nautic washbasin mixer, 150 mm spout, with washing machine turn off, side spray and wall mounting, Energy class A</b></p> 	<p>GB41216185</p>



### Nautic rinse and wash through mixer, Energy class A

Lead-free, Eco-Flow max 3l/m




ART No.

GB41216251

GB412162510B

## Nautic Care washbasin mixer

- Energy classification A saves water and energy
- Function adapted lever with clear color marking for hot and cold water
- Laminar aerator that counteracts aerosols
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class A)
- Eco-flow for efficient water- and energy consumption
- Adjustable flow - facilitates, adjustable maximum flow
- Soft move, ceramic seal ensures soft and precise manoeuvring
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Directed water angle provides less splashing and plenty of room for hands
- Coated flexible water connection for improved hygiene
- Ceramic seal to prevent dripping and ensure a long service life
- Patented quick mounting nut for easy installation



### Nautic Care washbasin mixer, Energy class A

Lead-free


Lead-free, Eco-Flow max 1,9 l/m



ART No.

GB41216047064

GB41216047064LB




### Nautic Care washbasin mixer, 150 mm spout, Energy class A

Lead-free



GB41216045064




### Nautic Care washbasin mixer with side spray

Lead-free, Eco-Flow max 3 l/m



GB41216147064B

## Accessories Nautic washbasin mixer



### Bottom valves


Push-down valve

Captive waste

ART No.


GB41636575 01

GB41637445



Captive waste Care  
For washbasins without overflow.

GB41636574 01



### Single Lever Nautic Care

Extended lever for functional adaptation of an already installed mixer with standard lever

GB41639801 01

Atlantic  
washbasin mixer

- Adjustable max. temperature for improved scald protection
- Eco-flow for efficient water- and energy consumption
- Adjustable flow - facilitates, adjustable maximum flow
- Cold-start, supplies only cold water when the lever is in straight forward position
- Ceramic seal to prevent dripping and ensure a long service life
- Type-approved, flexible water connection for simpler installation
- Atlantic is also available in models that contain less than 0.1% lead and energy class A

		ART No.
	<b>Atlantic washbasin mixer</b> Chrome Matte black	GB41215047 GB4121504753
	Chrome, lead-free, Energy class A Matte black, lead-free 	GB41215047 0 GB41215047053
	<b>Atlantic washbasin mixer with side spray and wall bracket</b> Chrome 	GB41215147

Nordic<sup>3</sup>  
washbasin mixer

- Contemporary design by Propeller
- Soft move ceramic seal ensures soft and precise maneuvering
- Adjustable max. temperature for improved scald protection
- Type approved flexible water connection for easier installation

		ART No.
	<b>Nordic<sup>3</sup> washbasin mixer</b> Chrome Chrome with side spray and wall bracket	GB41213451 GB41213461
		













Nordic Plus  
washbasin mixer

- Contemporary design by Propeller
- Soft move ceramic seal ensures soft and precise maneuvering
- Adjustable max. temperature for improved scald protection
- Type approved flexible water connection for easier installation

		ART No.
	<b>Nordic Plus washbasin mixer</b> Chrome Chrome with side spray and wall bracket	GB41213751 GB41213761
		






## Washbasin mixer Sensoric

- Fits just as well at home as in a public environment
- Contains less than 0.1% lead
- Can be modified for pre-temperature or cold water only
- 9V system, batteries (AA standard) are included
- Possible to add a 240 V supply (3m cable)
- Leed & Breeam adapted flow, limited to 1,9 or 4,5 l/min (PCA areators included in package)
- Backflow protection in accordance with SS-EN 1717 [AA]
- Max flow time 1 min

			ART No.
		<b>Sensoric washbasin mixer 1.0</b> Chrome Matte black  	GB41218881 GB4121888153
		<b>Sensoric washbasin mixer 1.0 incl distance ring 160 mm</b> Chrome Matte black  	GB41218281 GB4121828153
		<b>Sensoric washbasin mixer 1.0 incl distance ring 240 mm</b> Chrome Matte black  	GB41218481 GB4121848153
<b>Sensoric washbasin mixer 1.0 accessories</b> <b>Distance ring Sensoric 1.0 160 mm</b> Chrome Matt black			GB4165034101 GB416503410153
<b>Distance ring Sensoric 1.0 240 mm</b> Chrome Matt black			GB4165034201 GB416503420153






## Nautic bidet mixer

- Grip-friendly lever with clear color marking for hot and cold water
- Adjustable flow - facilitates adjustable maximum flow
- Soft move, ceramic seal ensures soft and precise maneuvering
- Smart inside, sustainable construction for the requirements of the future
- Directed spout angle gives less splash and more space for hands
- Adjustable max. temperature for improved scald protection
- Patented quick mounting nut for easy installation

			ART No.
		<b>Nautic bidet mixer with ball-jointed aerator</b> With waste fitting with lifting shaft   	GB41216071

## Atlantic bidet mixer

- Adjustable max. temperature for improved scald protection
- Eco-flow for efficient water- and energy consumption
- Adjustable flow - facilitates adjustable maximum flow
- Ceramic seal to prevent dripping and ensure a long service life
- Type-approved, flexible water connection for simpler installation
- Backflow protection in accordance with SS-EN 1717 [AA]

			ART No.
		<b>Atlantic bidet mixer with ball-jointed aerator</b> With waste fitting with lifting shaft   	GB41215072

## Thermostatic mixer New Nautic

- Built-in automatic hot water block for scald protection
- Block button on the temperature side at comfort temperature 38°C
- Adjustable max temperature for increased scald protection
- Safe Touch reduces the heat on the front of the mixer
- Block button on flow side at comfort flow
- Responds quickly to changes in pressure and temperature, maintaining even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved check valve in the inlet
- Backflow protection in accordance with SS-EN 1717 [EB]
- Can be functionally adapted with grip-friendly knobs
- Can be complemented with a Gustavsberg bathtub spout
- Can be complemented with a smart click-on shelf

ART No.

### Shower mixer New Nautic 150 c-c

		<p>Lead-free, with outlet up and down</p>	GB412123020
		<p>With outlet down</p>	GB41212304
		<p>Lead-free, with outlet down</p>	GB412123040
		<p>Lead-free, with outlet up and down, incl. Energy A-classified roof shower</p>	GB412123300
		<p>With outlet down, incl. Energy A-classified shower set</p>	GB41212387
		<p>Lead-free, with outlet down, incl. Energy A-classified shower set</p>	GB412023870
		<p>Lead-free, with outlet down. With grip-friendly knobs</p>	GB41212304066
		<p>With outlet down, with swiveling bathtub spout</p>	GB41212323







			ART No.
		With outlet down, with 85 mm fixed bathtub spout	GB41212352
		Lead-free, with outlet down, with 85 mm fixed bathtub spout	GB412123520
		Lead-free, with outlet up and down, with 350 mm swiveling spout	GB412123610

#### Bathtub mixer New Nautic 150 c-c

		With outlet down, with fixed bathtub spout	GB41212333
---	---	--	------------


### Shower column Round and Square with thermostatic mixer New Nautic

- Super slim shower head Ø250 mm / 250x250 mm
- Easy clean - designed with smart nozzles that make it simple to wipe off any limescale deposits
- The head shower and shower arm are turnable and can be adjusted completely individually
- 400 mm long shower arm provides a generous shower area
- Telescopically adjustable height 770-1165 mm
- Flexible wall bracket 50-130 mm for easy installation
- 3-functional hand shower with a button
- Hand shower on glider
- 1,75 m metal braided shower hose
- Knob with clear color marking for hot and cold
- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Safe Touch, minimizes the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- The shower set can be mounted with screws or glue
- Can be complemented with a smart click-on shelf
- Can be functionally adapted with grip-friendly knobs

			ART No.
Shower mixer New Nautic 150 c-c			
		With outlet up and down Roof shower Round included	GB41212330
		With outlet up and down Roof shower Square included	GB41212335

Thermostatic mixer and  
pressure valve  
New Nautic Public

- Preset flushing time ~ 30 sek.
- Flow 9 l/min at 3 bar
- Built-in automatic hot water block for scald protection
- Adjustable max. temperature for improved scald protection
- Block button on the temperature side at comfort temperature 38°C
- Safe Touch, minimizes the heat on the front side of the mixer
- Reacts quickly to changes in the flow pressure and temperature to maintain a constant water temperature
- Type-approved non-return valves in the inlet
- Backflow protection in accordance with SS-EN 1717 [EB]
- Can be functionally adapted with grip-friendly knobs



With outlet up, with time valve



ART No.


GB41212364

Pre-rinse set  
New Nautic

- Functional, ergonomic design
- Hand-held rinsing nozzle that minimizes pressure surges when the water flow is opened and closed, can be locked for longer flushes
- The nozzle features two different spray patterns, both with optimized rinsing capacities
- Diverter function built into the thermostatic mixer
- Safe Touch reduces the heat on the front side of the mixer
- Responds quickly to changes in pressure and temperature, maintaining even water temperature
- Built-in automatic hot water block for complete scald protection
- Easy to install
- Complete with 350 mm pivoting spout

ART No.

Pre-rinse set New Nautic 150 c-c



With outlet up and down, with 350 mm swiveling spout.  
With knobs for functional adaptation



GB41212372

Accessories

- Provides neater assembly and a flat surface on top of the mixer.
- Fits all mixers in the New Nautic, Atlantic and Nordic series. (Included in delivery in Estetic series)



Click-on shelf

GB41650052

Click-on shelf, matte black

GB4165005253

## Single lever Shower mixer New Nautic

- Grip-friendly lever with with clear color marking for hot and cold
- Soft move ceramic inside ensures soft and precise maneuvering
- Adjustable flow – facilitates adjustable maximum flow
- Adjustable max. temperature for improved scald protection
- Ceramic seal to prevent dripping and ensure a long service life
- Backflow protection in accordance with SS-EN 1717 [AA]
- Type approved backflow valve in the shower connection
- Can be supplemented with elongated lever for functionality adaptation

ART No.

### Shower mixer New Nautic 150 c-c

		<p>With outlet down</p>	GB41212014
		<p>With outlet up</p>	GB41212024
		<p>Shower mixer including shower set</p>	GB41212087

### Pre rinse set New Nautic 150 c-c











		<p>With vacuum valve and with inlet backflow protection</p>	GB41212274
		<p>Lead free, with vacuum valve and with inlet backflow protection</p>	GB412122740

Thermostatic mixers  
Atlantic

- Knob with clear color marking for hot and cold
- Built-in automatic hot water shut-off for scalding protection
- Adjustable maximum temperature for increased scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Safe Touch reduces the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- Backflow protection according to SS-EN 1717 [EB]
- Can be completed with Gustavsberg bathtub spout
- Can be complemented with a smart click-on shelf

ART No.

Shower mixer Atlantic 150 c-c







		With outlet up and down 	GB41211302
		With outlet down  Lead free, with outlet down 	GB41211304 GB412113040
		Lead-free, with outlet down, incl. Energy A-classified shower set 	GB412113870

Shower column  
Round and Square  
with  
thermostatic mixer  
Atlantic

- Super slim shower head Ø250 mm / 250x250 mm
- Easy clean - designed with smart nozzles that make it simple to wipe off any limescale deposits
- The head shower and shower arm are turnable and can be adjusted completely individually
- 400 mm long shower arm provides a generous shower area
- Telescopically adjustable height 770-1165 mm
- Flexible wall bracket 50-130 mm for easy installation
- 3-functional hand shower with a button
- Hand shower on glider
- 1,75 m metal braided shower hose
- Knob with clear color marking for hot and cold
- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Safe Touch, minimizes the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- The shower set can be mounted with screws or glue
- Can be functionally adapted with grip-friendly knobs
- Can be complemented with a smart click-on shelf

ART No.

Shower mixer Atlantic 150 c-c


		With outlet up and down Roof shower Round included 	GB41211330
		With outlet up and down Roof shower Square included 	GB41211335

## Single lever Shower mixer Atlantic

- Grip-friendly lever with with clear color marking for hot and cold
- Soft move ceramic inside ensures soft and precise maneuvering
- Adjustable flow – facilitates adjustable maximum flow
- Adjustable max. temperature for improved scald protection
- Ceramic seal to prevent dripping and ensure a long service life
- Type approved backflow valve in the shower connection
- Backflow protection in accordance with SS-EN 1717 [EB]
- Can be supplemented with elongated lever for functionality adaptation

ART No.

### Shower mixer Atlantic 150 c-c




With outlet down



GB41211314

### Shower set Atlantic 2.1 150 c-c




Shower mixer including shower set



GB41211387

### Pre rinse set Atlantic 150 c-c



With vacuum valve and with inlet backflow protection




GB41211374

## Thermostatic mixers Nordic

- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Adjustable maximum temperature for increased scalding protection
- Safe Touch reduces the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- Backflow protection according to SS-EN 1717 [EB]
- Can be complemented with a smart click-on shelf

ART No.


### Shower mixer Nordic 150 c-c



With outlet up and down



GB41211702



With outlet down



GB41211704

## Shower column Round and Square with thermostatic mixer Nordic

- Super slim shower head Ø250 mm / 250x250 mm
- Easy clean - designed with smart nozzles that make it simple to wipe off any limescale deposits
- The head shower and shower arm are turnable and can be adjusted completely individually
- 400 mm long shower arm provides a generous shower area
- Telescopically adjustable height 770-1165 mm
- Flexible wall bracket 50-130 mm for easy installation
- 3-functional hand shower with a button
- Hand shower on glider
- 1,75 m metal braided shower hose
- Knob with clear color marking for hot and cold
- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Safe Touch, minimizes the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- The shower set can be mounted with screws or glue
- Can be functionally adapted with grip-friendly knobs
- Can be complemented with a smart click-on shelf

ART No.

### Shower mixer Nordic 150 c-c

		<p>With outlet up and down Roof shower Round included</p>	GB41211730
		<p>With outlet up and down Roof shower Square included</p>	GB41211735

## Thermostatic mixers Estetic

- Organic design that suits all types of bathrooms
- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Adjustable maximum temperature for increased scalding protection
- Safe Touch reduces the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- Backflow protection according to SS-EN 1717 [EB]
- Including smart shelf for more storage space
- Available in chrome and matt black
- Can be combined with all outlet pipes
- A smart click-on shelf is included


ART No.

### Shower mixer Estetic 150 c-c

		<p>With outlet up and down</p>	GB41218402
		<p>Matte black, with outlet up and down</p>	GB4121840253
		<p>With outlet down</p>	GB41218404
		<p>Matte black, with outlet down</p>	GB4121840453



## Bathtub mixer Estetic 150 c-c



With outlet down, with fixed bathtub spout



GB41218433




Matte black, with outlet down, with fixed bathtub spout



GB4121843353

## Shower column Round and Square with thermostatic mixer Estetic

- Super slim shower head Ø250 mm / 250x250 mm
- Easy clean - designed with smart nozzles that make it simple to wipe off any limescale deposits
- The head shower and shower arm are turnable and can be adjusted completely individually
- 400 mm long shower arm provides a generous shower area
- Telescopically adjustable height 770-1165 mm
- Flexible wall bracket 50-130 mm for easy installation
- 3-functional hand shower with a button
- Hand shower on glider
- 1,75 m metal braided shower hose
- Knob with clear color marking for hot and cold
- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Safe Touch, minimizes the heat on the front of the mixer
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- The shower set can be mounted with screws or glue
- A smart click-on shelf is included


With outlet up and down  
Roof shower Round included

ART No.

GB41218430

With outlet up and down  
Matte black. Roof shower Round included

GB4121843053

With outlet up and down  
Roof shower Square included





GB41218435

With outlet up and down  
Matte black. Roof shower Square included

GB4121843553








Rain shower heads,  
Round and Square

- Super slim shower head Ø 250 mm / 250 x 250 mm
- Easy to clean: the design of the shower nozzles makes it simple to wipe away any limescale deposits
- The rain shower head and shower arm are turnable and can be adjusted to suit individual preferences
- A 400 mm shower arm means plenty of shower space
- Telescopically adjustable height: 840–1240 mm
- Adjustable wall fitting (50–130 mm) for simple installation
- Three-function hand shower with delightful jet patterns
- Mounted on a slider, the hand shower ensures a wonderful shower experience for users of any height
- 1.75 m chromed hose ensures consistency in the design
- The shower set can be fitted using screws or glue

			ART No.
		<b>Round rain shower head without mixer</b> Can be combined with all mixers with a ½" shower connection on top	GB41103230
		<b>Square rain shower head without mixer</b> Can be combined with all mixers with a ½" shower connection on top	GB41103235



Shower sets

- Shower sets that combine modern, stylish design with excellent function
- Easy to clean: The design of the shower nozzles makes it simple to remove limestone deposits
- PVC-free shower hose, 1.75 m
- Wall fitting with adjustable c-c dimensions
- 3-function hand shower with push button
- Simple and flexible installation
- Can be affixed with screws or glue
- Can be combined with all Gustavsberg shower and bathtub mixers

			ART No.
		<b>Round shower set</b> Chrome Matte black	GB41103210 GB41103210 53
		<b>Square shower set</b> Chrome	GB41103215
		<b>Shower set 2.1</b> Chrome, lead-free 	GB41106250

## Hand showers

- The quick and simple way to update an existing shower set
- Hand showers in various designs, with different functions – but always with a good, functional stream pattern
- Easy to clean: The design of the shower nozzles makes it simple to remove limestone deposits
- Can be used to replace all Gustavsberg hand showers
- Shower hose and extra wall fitting available as extras

			ART No.
		<b>Round hand shower 3-function hand shower with push button</b>  Chrome  Matte black	GB41639440  GB41639440 53
		<b>Square hand shower 3-function hand shower with push button</b>  Chrome  Matte black	GB41639441  GB41639441 53
		<b>Nautic hand shower 3-function hand shower with controls</b> Flow: approx. 8 litres/min at 3 bar pressure	GB41638725 01
		<b>G1 hand shower</b> Single function hand shower  <b>G2 hand shower</b> Single function hand shower	GB41638467  GB41638468
		<b>Skandic hand shower</b> Single function hand shower	GB41636596 00
		<b>Hose for shower set</b>	GB41636266 00
		<b>Wall bracket for hand shower, three set positions</b>	GB41637575

Mixer bracket  
for concealed piping

- In chrome-plated brass or matt black stainless steel
- Place for waterproofing according to industry rules "Säker vatten 2021:1"
- Easily disassembled from the wall without special tools

			ART No.
		<b>Mixer bracket in chrome for concealed piping 160 c-c</b> Dy16x2,0-2,25 for PEX, PE-RT, PB, PEM-pipes and Multilayer-pipes Dy12 and 15 for copper and steel pipes	FG0116012 FG0116000
		<b>Mixer bracket in chrome for concealed piping 150 c-c</b> Dy16x2,0-2,25 for PEX, PE-RT, PB, PEM-pipes and Multilayer-pipes Dy12/15 for copper and steel pipes	FG0115012 FG0115000
		<b>Mixer bracket in matt black for concealed piping 160 c-c</b> Coupling set plastic Dy15/16, copper Dy12/15  <b>Mixer bracket in matt black for concealed piping 150 c-c</b> Dy15x2,5 and Dy16x2,0-2,5 for PEX, PE-RT, PB, PEM-pipes and Multilayer-pipes	FG011601553 FG011501553

Mixer bracket  
160/40 c-c

- For mounting thermostatic mixer 160 c-c on external piping
- For pipe connection 40 c-c
- Can be used with connection up or down

			ART No.
		<b>Mixer bracket 160/40 c-c chrome-plated brass</b> Incl. Vatette couplings 12, 15 Lead-free	GB41102871 GB411028710
		<b>Mixer bracket 160/40 c-c chrome-plated brass</b> Lead-free	GB41102873 GB411028730


Mixer bracket  
V6

- Matt black brass
- No screw holes through tiles and waterproofing
- Place for waterproofing according to Industry Rules "Säker vatten 2021:1"

			ART No.
	<b>Mixer bracket V6</b>		
	160 c-c		FG093605353
	150 c-c		FG093505353

## Knobs for functional adaptation of thermostatic mixers

- The wings on the knob rest well in the hand and gives a good grip
- In gray colour to stand out more clearly
- Fits all Gustavsberg thermostatic mixers



Flow side of mixer

Temperature side of mixer

ART No.

GB4165022101

GB4165022301

## Bath tub spouts for thermostatic mixers

Diverter spout that changes the flow of water between hose or spout



Chrome

Matte black

GB41650247

GB4165024753

Swivel spout. Possible to lock position



85 mm

GB41650279



150 mm

GB41650282



250 mm

GB41650285



350 mm

GB41650288

S-shapet swivel spout



150 mm

GB41650299



250 mm

GB41650301



350 mm

GB41650303

U-shapet swivel spout



250 mm

GB41650305





Fixed spout with self retracting pull diverter



GB41650320





Kitchen sink mixers  
Estetic Duo sensor

- Sensor control for a more hygienic and comfortable kitchen experience
- Cold start technology for energy efficiency and comfort
- 24h legionella flushing to ensure safe and healthy water quality - prevents growth of bacteria
- Soft move ceramic inside ensures soft and precise maneuvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Patented quick mounting nut for easy installation
- All components made of food graded material

			ART No.
		<b>Estetic kitchen sink mixer Duo sensor, with pull-off spout</b>	
		Lead-free, chrome Lead-free, matte black	GB41208359 GB4120835953
		<b>Estetic kitchen sink mixer Duo sensor</b>	
		Lead free, chrome Lead free, matte black	GB41208356 GB4120835653

Kitchen sink mixers  
Estetic

- Energy classification B saves water and energy
- Cold start technology for energy efficiency and comfort
- Soft move ceramic inside ensures soft and precise maneuvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Patented quick mounting nut for easy installation
- All components made of food graded material

			ART No.
		<b>Estetic kitchen sink mixer, with pull-off spout</b>	
		Lead free, chrome Lead-free, matte black	GB41208059 GB4120805953
		<b>Estetic kitchen sink mixer</b>	
		Lead free, chrome Lead-free, matte black	GB41208056 GB4120805653



## Kitchen sink mixers

### Epic

- Modern, contemporary design
- Eco-flow for efficient water- and energy consumption
- Soft move ceramic inside ensures soft and precise manoeuvring
- Swiveling 110° spout
- Adjustable max. temperature for improved scald protection
- Available in multiple color options
- Type-approved, flexible water connection for simpler installation















			ART No.
		<b>Epic kitchen sink mixer</b>	
		Chrome	GB41209956
		Matte black	GB41209956 53
		<b>Epic kitchen sink mixer, with dishwasher shut-off</b>	
		Chrome	GB41209996
		Matte black	GB41209996 53
		<b>Epic kitchen sink mixer, with extendable hand shower, without dishwasher shut-off</b>	
		Chrome	GB41209959
		Matte black	GB41209959 53
		<b>Separate dishwasher shut-off</b>	
		Chrome	GB41639755
		Matte black	GB41639755 53
		Brushed brass	GB41639755 24

## Kitchen sink mixers

### Nautic

- Energy classification A, B or C saves water and energy
- Grip-friendly lever with clear color marking for hot and cold water
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class B)
- Eco-flow for efficient water- and energy consumption
- Adjustable flow - facilitates, adjustable maximum flow limitation













- Soft move, ceramic seal ensures soft and precise maneuvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Patented quick mounting nut for easy installation
- All components made of food graded material

			ART No.
		Nautic kitchen sink mixer with high spout, Energy class A	GB412060560L
		Lead-free	GB412060560
		Nautic kitchen sink mixer with high spout, Energy class B	GB412060560
		Lead-free	GB412060560B
		Lead-free, Eco-Flow max 5 l/m	GB412060560R
		Nautic kitchen sink mixer with high spout, Energy class A with dishwasher shut-off	GB412060960L
		Nautic kitchen sink mixer with high spout, Energy class B with dishwasher shut-off	GB412060960
		Lead-free	GB412060960
		Lead-free, Eco-Flow max 5 l/m	GB412060960B
		Eco-Flow max 5 l/m	GB41206096B
		Nautic kitchen sink mixer with high spout D-model, Energy class C, with dishwasher shut-off	GB41206097
		With G3/8" connection	GB41206097R
		Counter top dishwasher connection Smart Plus.	
		Fits mixers with a high spout only	GB41639626 01
		Nautic kitchen sink mixer with low spout, Energy class A	GB412060550L
		Lead-free	GB412060550
		Nautic kitchen sink mixer with low spout, Energy class B	GB412060550
		Lead-free	GB41206055
		Nautic kitchen sink mixer with low spout, Energy class C	GB41206055R
		Nautic kitchen sink mixer with low spout, Energy class A with dishwasher shut-off	GB412060950L
		Lead-free	GB412060950
		Nautic kitchen sink mixer with low spout, Energy class B with dishwasher shut-off	GB412060950
		Lead-free	GB41206095
		Nautic kitchen sink mixer with low spout, Energy class C with dishwasher shut-off	GB41206095R
		Single Lever Nautic Care	
		Extended lever for functional adaptation of an already installed mixer with standard lever	GB41639801 01

## Kitchen sink mixers


### Nautic Care

- Energy classification A or B saves water and energy
- Grip-friendly lever with clear color marking for hot and cold water
- Laminar aerator that counteracts aerosols
- All components made of food graded material
- Cold-start, supplies only cold water when the lever is in straight forward position (applies to energy class A)
- Eco-flow for efficient water- and energy consumption
- Adjustable flow - facilitates, adjustable maximum flow
- Soft move, ceramic seal ensures soft and precise maneuvering
- Smart inside, sustainable construction for the requirements of the future
- Adjustable max. temperature for improved scald protection
- Coated flexible water connection for improved hygiene
- Ceramic seal to prevent dripping and ensure a long service life
- Patented quick mounting nut for easy installation

			ART No.
		Nautic Care kitchen sink mixer with high spout, Energy class A Lead-free	GB41206056064L
		Nautic Care kitchen sink mixer with high spout, Energy class B Lead-free 	GB41206056064
		Nautic Care kitchen sink mixer with high spout, Energy class A with dishwasher shut-off Lead-free	GB41206096064L
		Nautic Care kitchen sink mixer with high spout, Energy class B with dishwasher shut-off Lead-free 	GB41206096064
		Nautic Care kitchen sink mixer with low spout, Energy class A Lead-free	GB41206055064L
			
		Nautic Care kitchen sink mixer with low spout, Energy class A with dishwasher shut-off Lead-free	GB41206095064L
			

Kitchen sink mixers  
Atlantic

- Adjustable max. temperature for improved scald protection
- Pivoting spout 110° (0° and 60° block included)
- Eco-flow for efficient water- and energy consumption
- Cold-start, supplies only cold water when the lever is in straight forward position
- Ceramic seal to prevent dripping and ensure a long service life
- Type-approved, flexible water connection for simpler installation
- Backflow protection in accordance with SS-EN 1717 [AA]
- Also available in model containing less than 0,1% lead and with energy classification B



Atlantic kitchen sink mixer

Chrome


Matte black

Chrome, lead-free and Energy class B

Matte black, lead-free



ART No.
GB41205058
GB4120505853
GB41205058 0
GB41205058053



Atlantic kitchen sink mixer with dishwasher shut-off

Chrome

Matte black

Chrome, lead-free and Energy class B


Matte black, lead-free



GB41205098
GB4120509853
GB41205098 0
GB41205098053

Kitchen mixer  
Atlantic with  
electronic shut-off valve

- Provides a more water secure home environment
- Contemporary, modern design in combination with excellent function
- Soft move ceramic inside ensures soft and precise maneuvering
- Pivoting spout 110° (0° and 60° block included)
- Adjustable max. temperature for improved scald protection
- Type-approved, flexible water connection for simpler installation
- Self-closing shut of valve; 3, 6 or 12 hours
- Multi-colored LED light signals function
- Including leakage detector, leakage shut-off and water alert
- Motorised valve with ceramic seal



Atlantic kitchen sink mixer with electronic dishwasher shut-off

Chrome



ART No.
GB41205086

## Kitchen mixer Nordic Plus

- Contemporary, modern design
- Soft move ceramic inside ensures soft and precise maneuvering
- Pivoting spout 110° (0° and 60°)
- Adjustable max. temperature for improved scald protection
- Type-approved, flexible water connection for simpler installation

		ART No.	
		Nordic Plus kitchen sink mixer	
		Chrome	
		Nordic Plus kitchen sink mixer	
		With dishwasher shut-off	
		Chrome	
		GB41203756	
		GB41203796	




## Kitchen mixer Nordic<sup>3</sup>

- Grip-friendly lever with clear color marking for hot and cold water
- Ceramic seal to prevent dripping and ensure a long service life
- Soft move, ceramic seal ensures soft and precise maneuvering
- Spout pivots through 110° (60° lock included)
- Adjustable max. temperature for improved scald protection
- All components made of food graded material
- Type approved flexible water connection for easier installation
- Backflow protection in accordance with SS-EN 1717 [AA]

		ART No.	
		Nordic <sup>3</sup> kitchen sink mixer	
		Chrome	
		Nordic <sup>3</sup> kitchen sink mixer	
		With dishwasher shut-off	
		Chrome	
		GB41203456	
		GB41203496	

Outdoor tap

- Simple to install and serve
- Can be fitted to old, existing pipes
- Cutable in length
- Self-draining downwards, which helps protect the façade
- Frost-proof – even if a hose is connected
- For wall thicknesses of max. 400 mm or max. 1000 mm
- With removable key or knob

		ART No.
	<p><b>Outdoor tap with approved non-return valve and key, self-draining</b></p> <p>For wall thicknesses of max. 30-400 mm</p> <p>For wall thicknesses of max. 30-1000 mm</p>	FG0105062 FG0105070
	<p><b>Outdoor tap with approved non-return valve and knob, self-draining.</b></p> <p>For wall thicknesses of max. 30-400 mm</p>	FG0105061
	<p><b>Outdoor tap with vacuum and non-return valve that complies with backflow prevention requirements in accordance with SS-EN 1717</b></p> <p>For wall thicknesses of 30-600 mm</p>	FG0105065





Estetic kitchen sink mixer Duo sensor

## Bathroom sinks

A good washbasin must be functional, easy to clean and hard-wearing – but also neat and attractive. Only porcelain of the highest quality – as used in washbasins from Gustavsberg – can meet all these requirements. Big bathroom? Small bathroom? Corner, elongated surfaces or tight space? No matter what your bathroom looks like, we can almost guarantee that you will find a Gustavsberg washbasin to match it. Don't forget to check out our washstands with full-cover washbasins, which you will find under our furniture collection. One of these may well be an even better solution for your bathroom.

### THINGS TO THINK ABOUT

Large bathrooms have plenty of room to install two generous washbasins so as to eliminate the problem of morning queues. Small bathrooms, however, sometimes barely have space for a single basin. In this case, what you need is a smaller model or one designed for positioning in a corner. Whatever your situation, you are sure to find the right washbasin at Gustavsberg. It may also be useful to consider laying out your bathroom with an eye to the future – when you may not be as mobile as you once were. Our broad collection also contains a number of washbasins for special needs.



Bathroom sinks 7G145301



### FLEXIBLE BOLT SPACING

Flexible bolt spacing makes it possible to replace your existing wall-mounted washbasin with a new model, regardless of whether the distance between the bolts on the wall is 280 or 350 mm.



### CERAMICPLUS = C+

















Many of our products are available with ceramicplus surface treatment. This provides the porcelain with a dirtrepellent surface that prevents the accumulation of limescale and dirt. Ceramicplus is also good for the environment, as it means that you can use a milder detergent – and less of it! – When cleaning.



Nautic bathroom sink 5556 / Nautic washbasin mixer


## Bathroom sink Nautic

- Easy-to-clean, minimalistic design in a range of sizes, 40–60 cm
- Elliptical basin with generous flat surfaces
- For bolt or bracket installation
- C+ as an option for simple and eco-friendly cleaning
- Mixer and bottom valve are not included, must be ordered separately. See mixer section

			ART No.
		5540 Nautic for bolt mounting. 400 x 275 mm.	
		With mixer hole to the right With mixer hole to the left	55409R01 55409L01
		5540 Nautic for bolt mounting. 400 x 275 mm, with C+	
		With mixer hole to the right With mixer hole to the left	55409RR1 55409LR1
		5550 Nautic for bolt and bracket mounting*. 500 x 380 mm	
		With mixer hole Without mixer hole With mixer hole, without overflow**	55509901 55509701 55509801
		5550 Nautic for bolt and bracket mounting*. 500 x 380 mm, with C+	
		With mixer hole Without mixer hole With mixer hole, without overflow**	555099R1 555097R1 555098R1
		5556 Nautic for bolt and bracket mounting*. 560 x 430 mm	
		With mixer hole Without mixer hole With mixer hole, without overflow**	55569901 55569701 55569801
		5556 Nautic for bolt and bracket mounting*. 560 x 430 mm, with C+	
		With mixer hole Without mixer hole With mixer hole, without overflow**	555699R1 555697R1 555698R1
		5560 Nautic for bolt and bracket mounting*. 600 x 460 mm	
		With mixer hole With mixer hole, without overflow** Without mixer hole, without overflow**	55609901 55609801 55609M01
		5560 Nautic for bolt and bracket mounting*. 600 x 460 mm, with C+	
		With mixer hole With mixer hole, without overflow**	556099R1 556098R1

## Bathroom sink Artic Small

- Small model suitable for small bathrooms
- Artic small in matt black and matt white fits with Estetic toilets in the same colour
- Made of hygienic, durable and tightly vitrified sanitary porcelain
- For bolt installation



**4G36 Artic Small for bolt installation, 360x220 mm.  
With basin to the left**

White

Matte white


Matte black

ART No.

4G369L01

4G369LSW

4G369L38



**4G36 Artic Small for bolt installation, 360x220 mm.  
With basin to the right**

White

Matte white

Matte black


4G369R01

4G369RSW

4G369R38

## Bathroom sink Nordic<sup>3</sup>

- Made of hygienic, durable and tightly vitrified sanitary porcelain
- Functional design, standard dimensions
- For bolt or bracket installation




**410050 Nordic<sup>3</sup> for bolt- or bracket installation, 500 x 370 mm**

With mixer hole

Recommended bracket length 195 or 240 mm.

ART No.

41005001



**410055 Nordic<sup>3</sup> for bolt- or bracket installation 550x435 mm**


With mixer hole

Recommended bracket length 260 mm.

41005501

## Bathroom sink complementary model

- Model that do not belong to any of our product collections, but match all ranges.
- Mixer and bottom valve are not included, must be ordered separately. See mixer section.



**7327 98 Bathroom sink for bolt fitting in corners**







With mixer hole

ART No.

GB1573279801





Bathroom sinks  
Care

• To view other products for special needs,  
visit [www.gustavsberg.com](http://www.gustavsberg.com)

			ART No.
		<p><b>1704 raising device with gas suspension*</b></p> <p>Fits washbasin with max. width 640 mm. Possible height adjustment 315 mm. The lever can be placed on left- or right hand side of washbasin.</p> <p>1708 Flexible hose set</p> <p>*Washbasins, mixers and hoses are not included</p> 	<p>GB88170401</p> <p>GB88170801</p>
		<p><b>740 for bolt installation, 600 x 600 mm.</b></p> <p>Extra shallow basin to accommodate wheelchair users.</p> <p>With mixer hole, without overflow outlet</p> <p>With mixer hole, with overflow outlet</p> 	<p>GB1074010102</p> <p>GB1074010101</p>

Water traps  
for washbasins


- Exclusive design
- Adjustable height and depth
- Available in different surface finishes/colors
- Made of brass
- Suit all washbasins in our range

			ART No.
		<p><b>Water trap for wall connection</b></p> <p>Chrome</p> <p>Matte black</p> <p>Brushed brass</p>	<p>GB41109938</p> <p>GB41109938 53</p> <p>GB41109938 24</p>
		<p><b>Water trap for floor connection</b></p> <p>Chrome</p> <p>Matte black</p> <p>Brushed brass</p>	<p>GB41109939</p> <p>GB41109939 53</p> <p>GB41109939 24</p>



## Washbasin fixture Triomont

- Neat installation with a minimum of visible pipes
- Load tested to 175 kg
- Suits all washbasins with a bolt distance (centre to centre) of up to 280 mm



### Triomont XS washbasin fixture.

Tall model for fitting against a straight wall or in a corner.

### Supplements

2pcs corner fitting for corner installation

2pcs extra wall fitting (when the bottom fitting supplied cannot be used).

Weight: 11 kg including packaging

### ART No.

GB1921102100

GB1921102029


GB1921102027

## Bathroom sinks for countertops

- Bathroom sinks for building in or sub-mounting can be combined with a bottom cabinet and a top panel. Simply make sure that the sink dimensions match the furniture unit
- For full covering sinks, turn to the bathroom furniture pages.

### ART No.

### Bathroom sinks for vanity unit, complementary models



### 7G145301 oval model for building-in, 535 x 440 mm

With mixer hole, with overflow outlet

7G145301



### 6147 98 oval model for sub-mounting, 570 x 410 mm

You can fit the mixer in the bench top or on the wall above the bathroom sink.

With overflow outlet and with fastening components

GB1561479801

# Shower doors and walls

Choose between polished or matte black profiles in a wonderful design. High quality, durable materials and smart solutions make it simple to find precisely the right shower from Gustavsberg:

- Adjustable wall profiles guarantee a level shower, even if the bathroom walls are not entirely straight.
- Doors that can open outwards or inwards save valuable space.
- Almost all our showers are designed for right- or left-handed fitting.
- Unequal-sided dimension combinations offer an optimal shower solution for all bathrooms.
- Smart elevating brackets lift the doors when you open them.

## THINGS TO THINK ABOUT

Installing a new shower wall requires preparation and planning. In many bathrooms, the shower corner has to fit in with a washbasin, a toilet and sometimes a washing machine as well. So measure your shower space carefully – to make sure there are no obstacles that prevent you opening the doors. If there are, a foldable shower door can often be the solution.

## FOLDABLE DOORS ARE NOT REVERSIBLE

Our folding doors are the only models that are not reversible for right-/left-hand installation. They are, however, available with uneven dimensions to the right and to the left, so it is important to measure your shower space carefully. Make sure to measure from the front, i.e. where you step into the shower. Turn the page to see the combination options.



Round shower door



Square shower wall



### REVERSIBLE

Shower doors, reversible for right/left-hand installation; they can open both outwards and inwards, which helps save precious space.



### ELEVATING HINGE

The elevating hinge is a smart detail that lifts the shower walls 5 mm every time you open and close it. This minimises wear on both the floor and the shower doors. A practical function that provides a sense of authentic luxury.



Estetic Round roof shower / Square shower wall

# Mounting options

Our shower walls and doors can be easily combined in different dimensions and thus adapted to the specific needs of each bathroom.

*\* For exact mm measurements and adjustability for each door model, see the range pages.*



Round shower doors fitted in a corner

*Available dimensions combinations\**

80x80 cm	80x100 cm	90x100 cm
80x90 cm	90x90 cm	100x100 cm



Square shower doors fitted in a corner

*Available dimensions combinations\**

80x80 cm	80x100 cm	90x100 cm
80x90 cm	90x90 cm	100x100 cm



Square – two straight doors fitted in a line

*Available dimensions\**

80 cm	90 cm	100 cm
Combine these three door dimensions as you wish.		



Square shower door fitted in a niche

*Available dimensions\**

80 cm	90 cm	100 cm
-------	-------	--------



Square shower wall fitted in a corner

*Available dimensions\**

80 cm	90 cm	100 cm
-------	-------	--------



Square shower wall and Square shower door fitted in a corner

*Available dimensions combinations\**

80x80 cm	80x100 cm	90x100 cm
80x90 cm	90x90 cm	100x100 cm



Square bathtub door

*Available dimensions\**

70 cm	80 cm
-------	-------



Square folding doors fitted in a corner

*Possible dimensions\**

80x80 cm	90x90 cm	100x100 cm
80x90 cm	90x80 cm	100x90 cm
80x100 cm	90x100 cm	100x80 cm



Square folding door with Square fixed wall fitted in a corner

*Possible dimensions\**

80x80 cm	90x90 cm	100x100 cm
80x90 cm	90x80 cm	100x90 cm
80x100 cm	90x100 cm	100x80 cm



Square folding door fitted in a niche

*Possible dimensions\**


80 cm	90 cm	100 cm
-------	-------	--------



Square folding door with Square shower door fitted in a corner

*Possible dimensions\**

80x80 cm	90x90 cm	100x100 cm
80x90 cm	90x80 cm	100x90 cm
80x100 cm	90x100 cm	100x80 cm




Square shower wall fitted in a corner or free to solid back wall

*Possible dimensions\**

80 cm	90 cm	100 cm
120 cm	140 cm	

## Square shower doors for corner fitting

- Reversible for right/left-hand installation
- Pre-fitted door profiles for quick and simple installation
- Tempered safety glass, 6 mm
- Polished or matt black profiles and door handles
- Elevating hinges raise the door 5 mm on opening
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- Opening angle: 180 degrees
- Unequal-sided dimension combinations possible
- Extension profile, 20 mm, as an optional extra
- No floor profiles, for a hygienic and easy-to-clean shower
- Space to drill holes for externally routed pipes



A x B width dimension/adjustability in mm.

ART No.

### Polished profiles

<b>Square shower doors, 80x80</b>	<b>790–810 x 790–810 mm</b>	<b>GB5ISRDR8080CR</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80CR
	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80CR
<b>Square shower doors, 80x90</b>	<b>790–810 x 890–910 mm</b>	<b>GB5ISRDR8090CR</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80CR
	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90CR
<b>Square shower doors, 80x100</b>	<b>790–810 x 990–1010 mm</b>	<b>GB5ISRDR8010CR</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80CR
	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10CR
<b>Square shower doors, 90x90</b>	<b>890–910 x 890–910 mm</b>	<b>GB5ISRDR9090CR</b>
Consists of:	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90CR
	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90CR
<b>Square shower doors, 90x100</b>	<b>890–910 x 990–1010 mm</b>	<b>GB5ISRDR9010CR</b>
Consists of:	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90CR
	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10CR
<b>Square shower doors, 100x100</b>	<b>990–1010 x 990–1010 mm</b>	<b>GB5ISRDR1010CR</b>
Consists of:	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10CR
	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10CR
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB5IACCEXT




### Matte black profiles

<b>Square shower doors, 80x80</b>	<b>790–810 x 790–810 mm</b>	<b>GB5ISRDR8080BL</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80BL
	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80BL
<b>Square shower doors, 80x90</b>	<b>790–810 x 890–910 mm</b>	<b>GB5ISRDR8090BL</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80BL
	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90BL
<b>Square shower doors, 80x100</b>	<b>790–810 x 990–1010 mm</b>	<b>GB5ISRDR8010BL</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB5ISRDR80BL
	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10BL
<b>Square shower doors, 90x90</b>	<b>890–910 x 890–910 mm</b>	<b>GB5ISRDR9090BL</b>
Consists of:	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90BL
	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90BL
<b>Square shower doors, 90x100</b>	<b>890–910 x 990–1010 mm</b>	<b>GB5ISRDR9010BL</b>
Consists of:	Square shower door, 90 with magnetic profile and door handle	GB5ISRDR90BL
	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10BL
<b>Square shower doors, 100x100</b>	<b>990–1010 x 990–1010 mm</b>	<b>GB5ISRDR1010BL</b>
Consists of:	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10BL
	Square shower door, 100 with magnetic profile and door handle	GB5ISRDR10BL
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB5IACCEXTBL



## Square folding doors for corner installation

- Folding door that takes up less space
- Ideal for use where space is at a premium – as the foldability often solves the problem
- Non-reversible doors; choose from the models designed for right- and left-hand installation, respectively
- Corner configuration dimensions "Left" x "Right" viewed from in front, i.e. on your way into the shower
- Pre-fitted door profiles for quick and easy installation
- Toughened safety glass, 6 mm
- Polished profiles, with the door handle integrated into the glass
- Elevating hinges lift the door 5 mm when opened
- 20 mm adjustable wall profile, which ensures a level shower even if the walls are angled
- Opening angle: 180 degrees
- Unequal-sided dimension combinations possible
- Extra-width profile, 20 mm as an optional extra
- No floor profiles means a shower that is hygienic and easy to clean, but the solution does require an incline towards the floor drain
- Space for cutting holes for external pipework




A x B width dimension/adjustability in mm.		ART No.
Polished profiles		
<b>Square folding doors, 80x80</b>	<b>790–810 x 790–810 mm</b>	<b>GB5ISRFD8080CR</b>
Consists of:	Square folding door, 80 with magnetic profile	GB5ISRFD80LCR
	Square folding door, 80 with magnetic profile	GB5ISRFD80RCR
<b>Square folding doors, 80x90</b>	<b>790–810 x 890–910 mm</b>	<b>GB5ISRFD8090CR</b>
Consists of:	Square folding door, 80 with magnetic profile	GB5ISRFD80LCR
	Square folding door, 90 with magnetic profile	GB5ISRFD90RCR
<b>Square folding doors, 80x100</b>	<b>790–810 x 990–1010 mm</b>	<b>GB5ISRFD8010CR</b>
Consists of:	Square folding door, 80 with magnetic profile	GB5ISRFD80LCR
	Square folding door, 100 with magnetic profile	GB5ISRFD10RCR
<b>Square folding doors, 90x90</b>	<b>890–910 x 890–910 mm</b>	<b>GB5ISRFD9090CR</b>
Consists of:	Square folding door, 90 with magnetic profile	GB5ISRFD90LCR
	Square folding door, 90 with magnetic profile	GB5ISRFD90RCR
<b>Square folding doors, 90x80</b>	<b>890–910 x 790–810 mm</b>	<b>GB5ISRFD9080CR</b>
Consists of:	Square folding door, 90 with magnetic profile	GB5ISRFD90LCR
	Square folding door, 80 with magnetic profile	GB5ISRFD80RCR
<b>Square folding doors, 90x100</b>	<b>890–910 x 990–1010 mm</b>	<b>GB5ISRFD9010CR</b>
Consists of:	Square folding door, 90 with magnetic profile	GB5ISRFD90LCR
	Square folding door, 100 with magnetic profile	GB5ISRFD10RCR
<b>Square folding doors, 100x100</b>	<b>990–1010 x 990–1010 mm</b>	<b>GB5ISRFD1010CR</b>
Consists of:	Square folding door, 100 with magnetic profile	GB5ISRFD10LCR
	Square folding door, 100 with magnetic profile	GB5ISRFD10RCR
<b>Square folding doors, 100x80</b>	<b>990–1010 x 790–810 mm</b>	<b>GB5ISRFD1080CR</b>
Consists of:	Square folding door, 100 with magnetic profile	GB5ISRFD10LCR
	Square folding door, 80 with magnetic profile	GB5ISRFD80RCR
<b>Square folding doors, 100x90</b>	<b>990–1010 x 890–910 mm</b>	<b>GB5ISRFD1090CR</b>
Consists of:	Square folding door, 100 with magnetic profile	GB5ISRFD10LCR
	Square folding door, 90 with magnetic profile	GB5ISRFD90RCR
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB5IACCEXT



## Square bathtub door

- Reversible for right/left-hand installation
- Tempered safety glass, 6 mm
- Polished profile
- Elevating hinges that raise the door 5 mm on opening
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- Opening angle, 180 degrees



A x B width dimension/adjustability in mm.		ART No.
Polished profiles		
<b>Square bathtub door, 70</b>	<b>690–710 mm</b>	<b>GB5ISRBD70CR</b>
<b>Square bathtub door, 80</b>	<b>790–810 mm</b>	<b>GB5ISRBD80CR</b>




Detailed dimension sketches of each of the sizes are available at [www.gustavsberg.com](http://www.gustavsberg.com)



## Round shower doors for corner fitting

- Reversible for right/left-hand installation
- Pre-fitted door profiles for quick and simple installation
- Tempered safety glass, 6 mm
- Polished or matt black profiles and door handles
- Elevating hinges raise the door 5 mm on opening
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- Opening angle: 180 degrees
- Unequal-sided dimension combinations possible
- Extension profile, 20 mm, as an optional extra
- No floor profiles, for a hygienic and easy-to-clean shower
- Space to drill holes for externally routed pipes




A x B width dimension/adjustability in mm.		ART No.
<b>Polished profiles</b>		
<b>Round shower doors, 80x80</b>	<b>790–810 x 790–810 mm</b>	<b>GB51RNDR8080CR</b>
Consists of:	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80CR
	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80CR
<b>Round shower doors, 80x90</b>	<b>790–810 x 890–910 mm</b>	<b>GB51RNDR8090CR</b>
Consists of:	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80CR
	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90CR
<b>Round shower doors, 80x100</b>	<b>790–810 x 990–1010 mm</b>	<b>GB51RNDR8010CR</b>
Consists of:	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80CR
	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10CR
<b>Round shower doors, 90x90</b>	<b>890–910 x 890–910 mm</b>	<b>GB51RNDR9090CR</b>
Consists of:	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90CR
	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90CR
<b>Round shower doors, 90x100</b>	<b>890–910 x 990–1010 mm</b>	<b>GB51RNDR9010CR</b>
Consists of:	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90CR
	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10CR
<b>Round shower doors, 100x100</b>	<b>990–1010 x 990–1010 mm</b>	<b>GB51RNDR1010CR</b>
Consists of:	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10CR
	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10CR
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB51ACCEXT
<b>Matte black profiles</b>		
<b>Round shower doors, 80x80</b>	<b>790–810 x 790–810 mm</b>	<b>GB51RNDR8080BL</b>
Consists of:	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80BL
	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80BL
<b>Round shower doors, 80x90</b>	<b>790–810 x 890–910 mm</b>	<b>GB51RNDR8090BL</b>
Consists of:	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80BL
	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90BL
<b>Round shower doors, 80x100</b>	<b>790–810 x 990–1010 mm</b>	<b>GB51RNDR8010BL</b>
Consists of:	Round shower door, 80 with magnetic profile and door handle	GB51RNDR80BL
	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10BL
<b>Round shower doors, 90x90</b>	<b>890–910 x 890–910 mm</b>	<b>GB51RNDR9090BL</b>
Consists of:	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90BL
	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90BL
<b>Round shower doors, 90x100</b>	<b>890–910 x 990–1010 mm</b>	<b>GB51RNDR9010BL</b>
Consists of:	Round shower door, 90 with magnetic profile and door handle	GB51RNDR90BL
	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10BL
<b>Round shower doors, 100x100</b>	<b>990–1010 x 990–1010 mm</b>	<b>GB51RNDR1010BL</b>
Consists of:	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10BL
	Round shower door, 100 with magnetic profile and door handle	GB51RNDR10BL
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB51ACCEXTBL



Detailed dimension sketches of each of the sizes are available at [www.gustavsberg.com](http://www.gustavsberg.com)

## Square shower doors for niche fitting


- Reversible for right/left-hand installation
- Pre-fitted door profiles for quick and simple installation
- Tempered safety glass, 6 mm
- Polished or matt black profiles and door handles
- Elevating hinges raise the door 5 mm on opening
- Adjustable wall profile, 30 mm, for a straight shower even with angled walls
- Opening angle: 180 degrees
- Extension profile, 20 mm, as an optional extra
- Space to drill holes for externally routed pipes on the door's hinged side




<i>A x B width dimension/adjustability in mm.</i>		<i>ART No.</i>
<b>Polished profiles</b>		
<b>Square shower door for niche, 80</b>	<b>796–826 mm</b>	<b>GB51SRDR80NICR</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB51SRDR80CR
	Square niche profile	GB51ACCPROF
<b>Square shower door for niche, 90</b>	<b>896–926 mm</b>	<b>GB51SRDR90NICR</b>
Consists of:	Square shower door, 90 with magnetic profile and door handle	GB51SRDR90CR
	Square niche profile	GB51ACCPROF
<b>Square shower door for niche, 100</b>	<b>996–1026 mm</b>	<b>GB51SRDR100NICR</b>
Consists of:	Square shower door, 100 with magnetic profile and door handle	GB51SRDR100CR
	Square niche profile	GB51ACCPROF
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB51ACCEXTP
<b>Matte black profiles</b>		
<b>Square shower door for niche, 80</b>	<b>796–826 mm</b>	<b>GB51SRDR80NIBL</b>
Consists of:	Square shower door, 80 with magnetic profile and door handle	GB51SRDR80BL
	Square niche profile	GB51ACCPROFBL
<b>Square shower door for niche, 90</b>	<b>896–926 mm</b>	<b>GB51SRDR90NIBL</b>
Consists of:	Square shower door, 90 with magnetic profile and door handle	GB51SRDR90BL
	Square niche profile	GB51ACCPROFBL
<b>Square shower door for niche, 100</b>	<b>996–1026 mm</b>	<b>GB51SRDR100NIBL</b>
Consists of:	Square shower door, 100 with magnetic profile and door handle	GB51SRDR100BL
	Square niche profile	GB51ACCPROFBL
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB51ACCEXTPBL


## Square folding doors for niche installation


- Folding door that takes up less space
- Ideal for use where space is at a premium – as the foldability often solves the problem
- Non-reversible doors; choose from the models designed for right- and left-hand installation, respectively
- Pre-fitted door profiles for quick and easy installation
- Toughened safety glass, 6 mm
- Polished profiles, with the door handle integrated into the glass
- Elevating hinges lift the door 5 mm when opened
- 25 mm adjustable wall profile, which ensures a level shower even if the walls are angled
- Opening angle: 180 degrees
- Extra-width profile, 20 mm as an optional extra
- No floor profiles means a shower that is hygienic and easy to clean, but the solution does require an incline towards the floor drain
- Space for cutting holes for external pipework



A x B width dimension/adjustability in mm.		ART No.
<b>Polished profiles, left hinged door</b>		
<b>Square folding door for niche, 80</b>	802-827 mm	GB51SRFD80NILCR
Consists of:	Square shower door, 80 with magnetic profile	GB51SRFD80LCR
	Square niche profile	GB51ACCPROF
<b>Square folding door for niche, 90</b>	902-927 mm	GB51SRFD90NILCR
Consists of:	Square shower door, 90 with magnetic profile	GB51SRFD90LCR
	Square niche profile	GB51ACCPROF
<b>Square folding door for niche, 100</b>	1002-1027 mm	GB51SRFD100NILCR
Consists of:	Square shower door, 100 with magnetic profile	GB51SRFD100LCR
	Square niche profile	GB51ACCPROF
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB51ACCEXTTP
		



<b>Polished profiles, right hinged door</b>		
<b>Square folding door for niche, 80</b>	802-827 mm	GB51SRFD80NIRCR
Consists of:	Square shower door, 80 with magnetic profile	GB51SRFD80RCR
	Square niche profile	GB51ACCPROF
<b>Square folding door for niche, 90</b>	902-927 mm	GB51SRFD90NIRCR
Consists of:	Square shower door, 90 with magnetic profile	GB51SRFD90RCR
	Square niche profile	GB51ACCPROF
<b>Square folding door for niche, 100</b>	1002-1027 mm	GB51SRFD100NIRCR
Consists of:	Square shower door, 100 with magnetic profile	GB51SRFD100RCR
	Square niche profile	GB51ACCPROF
<b>Accessories: Extension profile</b>	Allows extra adjustment of width dimension by 20 mm Possible to fit on the right- and/or left-hand side.	GB51ACCEXTTP
		



## Right or left?

**NON-REVERSIBLE MODEL** Our folding doors are the only shower models that are not reversible for right-/left-hand installation. However, they are available in unequal dimensions on the right and left-hand sides. Here, it is important to look at things from the correct side when measuring your shower space. Make sure to measure from the front, i.e. where you step into the shower. What combination possibilities you have to choose from, see page 98.

## Square shower wall

- Reversible for right/left-hand installation
- Tempered safety glass, 6 mm
- Polished or matt black profile and wall brace
- Adjustable wall profile, 20 mm, for a straight shower even with angled walls
- The brace can also be used as a shower curtain rod
- Space to drill holes for externally routed pipes

A x B width dimension/adjustability in mm.

ART No.

### Polished profiles

Square shower wall, 80	792–812 mm	GB51SRWL80CR
Square shower wall, 90	892–912 mm	GB51SRWL90CR
Square shower wall, 100	992–1012 mm	GB51SRWL100CR
<b>Accessories:</b>		
Magnetic profile	For combination with one Square shower door. Not size specific.	GB51ACCWL MAG
Extra long brace, 1400 mm	A longer brace provides larger opening to the showspace	GB51ACCWL B14CR




### Matte black profiles

Square shower wall, 80	792–812 mm	GB51SRWL80BL
Square shower wall, 90	892–912 mm	GB51SRWL90BL
Square shower wall, 100	992–1012 mm	GB51SRWL100BL
<b>Accessories:</b>		
Magnetic profile	For combination with one Square shower door. Not size specific.	GB51ACCWL MAGBL
Extra long brace, 1400 mm	A longer brace provides larger opening to the showspace	GB51ACCWL B14BL



Detailed dimension sketches of each of the sizes are available at [www.gustavsberg.com](http://www.gustavsberg.com).



## Square shower wall Matt black



- Reversible for right-/left-hand installation
- Tempered safety glass, 6 mm
- Profiles and wall brace in matt black anodised aluminium
- Bars on the outside of the glass to facilitate cleaning
- Adjustable wall profile, 10 mm, for a straight shower even with angled walls
- The brace can be used as a curtain rail
- No space to drill holes for externally routed pipes.

A x B width dimension/adjustability in mm.

ART No.

### Matte black profiles

Square shower wall, 80	780–790 mm	GB51SRWL80HBL
Square shower wall, 90	880–890 mm	GB51SRWL90HBL
Square shower wall, 100	980–990 mm	GB51SRWL100HBL
Square shower wall, 120	1180–1190 mm	GB51SRWL120HBL
Square shower wall, 140	1380–1390 mm	GB51SRWL140HBL
<b>Accessories:</b>		
Extra brace, 1200 mm	Needed for placement free against a wall	GB59SESP0020



Detailed dimension sketches of each of the sizes are available at [www.gustavsberg.com](http://www.gustavsberg.com).



## Mixer and shower set

Match your new shower doors and walls with our wide range of shower mixers, shower sets and rain shower heads for a sweet, neat and functional set-up in your bathroom. No matter whether your main interest is in form, smart functions for saving water and energy or “simply” good quality, Gustavsberg lets you be price-, eco- and design-conscious at the same time.

# Bathtubs

A hot bath lowers the pulse and boosts circulation in the body. Few things are as de-stressing and relaxing as slipping into a warm bath after a long, hectic – and possibly chilly – day. That’s why you need to take care when choosing your tub, because the model you select will have to perform heroic deeds no other piece of furniture in your home can handle. What’s most important: appearance, size or function? Or is everything equally important?

## TO THINK OF

Big or small? Built-in or free-standing? In this catalogue you will find all kinds of standard bathtubs from Gustavsberg, take for example the combi-tubs, they are perfect for people who also use their bathtubs as their shower. These tubs have a flat section at the foot end, and the drain is positioned in the middle. The head end is gently angled and comfortable. Duo bathtubs are ideal for people who appreciate square design. Perfect for two people to bath together; features two sloping head.



Claw-foot bathtub 6368



### GLAZEPLUS

Our bathtubs are available with an extra surface treatment called “glazeplus”. This is a crystal-clear polymer film that protects the surface of your bathtub against dirt and limescale deposits – which facilitates cleaning and reduces the amount of detergent you need to use.



### ANTI-SLIP

The bathtub is available with an anti-slip treatment where quartz sand has been burned into the enamel in an aesthetically neutral pattern. The surface counteracts the risk of slipping when entering or leaving the bathtub. Moreover, it is located at the foot end of the tub so that it does not affect the overall bathing experience.



### SUPPORT HANDLES

You can order the bathtub with support handles on the rim to improve safety and ease of use.



### PLUS5

An overflow outlet on the bathtub rim prevents the water from overflowing – but means a lower water level when you bathe. Gustavsberg has solved this problem with the smartest overflow outlet on the market: the plus5 system lets you raise the valve 5 cm with a simple movement – for deeper water and a more luxurious bath. An overflow outlet is an insurance requirement for fixed installation tubs in bathrooms without a floor drain.






Bathtub 1400 with full-front panel frame

Basin models for enamelled titanium steel bathtubs with front panel frames or feet

- Gustavsberg has many models and sizes, intended for installing with full- or half-front panels frames.
- Our tubs are made of enamelled titanium steel of the highest quality.
- The tubs are simple to install and easy to clean.
- Handles and anti-slip bottom surface treatment available as options for a safer bath.
- Glazeplus available as an option for fast, gentle cleaning

Placement anti-slip treatment




Basin models



**Combi-tubs** are perfect for people who also use their bathtubs as their shower. These tubs have a flat section at the foot end, and the drain is positioned in the middle. The head end is gently angled and comfortable.


Available in sizes 1500 x 700, 1570 x 700 and 1600 x 700 mm.



**Bathtub models 1400 and 1700, and frontless tub 1571** feature a traditional basin shape. It has a depth of 420 mm, which means that it is comfortable and practical for both baths and showers.


Available in sizes 1400 x 700 and 1700 x 700 mm.

Frontless bathtub in size 1570 x 700 mm.




**The Duo tub** is designed for two people bathing at the same time with its two angled head ends and centred drain. Depth 420 mm.

Available in size 1600 x 700 mm.




**Sitting tub model 1051** is designed for people who have a really small bathroom but who cannot do without a bath. Depth of the sitting area is 310 mm. Depth of the foot area is 420 mm.

Available in size 1050 x 650 mm.



**The Claw-foot bathtub** features an oval basin with two enclosing head ends and a centred drain. It has a depth of 420 mm.

Available in sizes 1580 x 680 and 1680 x 730 mm.




**Bathtub 1300** features a traditional basin shape. It is comfortable and practical for both baths and showers, with a depth of 420 mm.

Available in size 1300 x 700 mm

Accessories, misc

ART No.



Handles

Fits all bathtubs except sitting tub 1051  
Only a single handle can be fitted to bathtub models 1603, 1607 and 1707.


1 handle (state positioning on order)

2 handles

NB! The bathtub must be ordered featuring holes for handles.

GB208B090901

GB208B080901



Handle, high

Fits sitting tub 1050

2 handles

NB! The bathtub must be ordered featuring holes for handles.

GB208B060901




Supplement Anti-slip  
Supplement Glazeplus

For art-no of antislip and glazeplus supplement, please contact;  
customerservice.se@gustavsberg.com  
NB! Not possible to alter, cancel or return after approved order.

## Enamelled titanium steel bathtubs with full- or half-front panel frame

- Enamelled, titanium alloy sheet steel of the highest quality.
- Complete with front panel frame, fitted bottom valve and drain pipe
- The front panel frame can be slid sideways and back, allowing room to route pipes along the walls
- Adjustable feet, 25 mm
- Full front panel features a slidable lower section to facilitate cleaning
- Glazeplus available as an option for simple, eco-friendly cleaning
- Front panel frame in black or white for several models

Water volume: 150 litre



Basin pictures: see page 108.



**Bathtub 1300 with full-front panel frame 1300x700 mm**

White

*Consists of:*

Bathtub

Full-front panel frame

**Bathtub 1300 with half-front panel frame 1300x700 mm**

White

*Consists of:*

Bathtub

Half-front panel frame



ART No.

GB211300741301

GB2113000100


GB2174130100

GB211300641301

GB2113000100

GB2164130100

Water volume: 155 litre



Basin pictures: see page 108.



**Bathtub 1400 with full-front panel frame 1400x700 mm**

White

*Consists of:*

Bathtub

Full-front panel frame

**Bathtub 1400 with half-front panel frame 1400x700 mm**

White

*Consists of:*

Bathtub

Half-front panel frame



GB211400741401

GB2114000100


GB2174140100

GB211400641401

GB2114000100

GB2164140100

Water volume: 175 litre



Basin pictures: see page 108.



**Bathtub, Combi 1504 with full-front panel frame, 1500 x 700 mm**

White

*Consists of:*

Bathtub

Full-front panel frame

**Bathtub, Combi 1504 with half-front panel frame, 1500x700 mm**

White

*Consists of:*

Bathtub

Half-front panel frame



GB211504741501

GB2115040100


GB2174150100

GB211504641501

GB2115040100

GB2164150100

Water volume: 189 litre



Basin pictures: see page 108.



Bathtub, Combi 1574 with full-front panel frame, 1570x700 mm

White  
Black

Consists of:

Bathtub  
Full-front panel frame, white  
Full-front panel frame, black

Bathtub, Combi 1574 with half-front panel frame, 1570x700 mm

White

Consists of:

Bathtub  
Half-front panel frame



ART No.


GB211574741601  
GB211574741656

GB2115740100  
GB2174160100  
GB2174165600

GB211574641601

GB2115740100  
GB2164160100

Water volume: 189 litre



Basin pictures: see page 108.



Bathtub, Combi 1604 with full-front panel frame, 1600x700 mm

White  
Black

Consists of:

Bathtub  
Full-front panel frame, white  
Full-front panel frame, black

Bathtub, Combi 1604 with half-front panel frame, 1600x700 mm

White

Consists of:

Bathtub  
Half-front panel frame




GB211604741601  
GB211604741656

GB2116040100  
GB2174160100  
GB2174165600

GB211604641601

GB2116040100  
GB2164160100

Water volume: 186 litre



Basin pictures: see page 108.



Bathtub Duo 1603 with full-front panel frame, 1600x700 mm

White  
Black

Consists of:

Bathtub  
Full-front panel frame, white  
Full-front panel frame, black

Bathtub Duo 1603 with half-front panel frame, 1600x700 mm

White

Consists of:

Bathtub  
Half-front panel frame



GB211603741601  
GB211603741656


GB2116030100  
GB2174160100  
GB2174165600

GB211603641601

GB2116030100  
GB2164160100

Water volume: 190 litre

Basin pictures: see page 108.

**Bathtub, Combi 1607 with full-front panel frame, 1600 x 700 mm**

White

Black

*Consists of:*

Bathtub

Full-front panel frame, white

Full-front panel frame, black

**Bathtub, Combi 1607 with half-front panel frame, 1600x700 mm**

White

*Consists of:*

Bathtub

Half-front panel frame



ART No.

GB211607741601

GB211607741656

GB2116070100

GB2174160100

GB2174165600


GB211607641601

GB2116070100

GB2164160100

Water volume: 190 litre

Basin pictures: see page 108.

**Bathtub, Combi 1707 with full-front panel frame, 1700 x 700 mm**

White

*Consists of:*

Bathtub

Full-front panel frame




GB211707741701

GB2117070100

GB2174170100

Water volume: 190 litre

Basin pictures: see page 108.

**Bathtub 1700 with full-front panel frame, 1700 x 700 mm**

White

*Consists of:*

Bathtub

Full-front panel frame




GB211700741701

GB2117000100

GB2174170100

Water volume: 106 litre

Basin pictures: see page 108.

**Sitting tub 1051 with full-front panel frame, 1050 x 650 mm**

White

*Consists of:*

Bathtub

Full-front panel frame



GB211051741001

GB2110510100


GB2174100100

Frontless bathtubs  
in enamelled  
titanium steel

- Enamelled, titanium alloy sheet steel of the highest quality
- Enamelled exterior
- Without front panel for easier cleaning
- Delivered complete with fitted bottom valve and drain pipe
- Adjustable feet, 25 mm
- Anti-slip treated bottom surface available as an option for a safer tub

Water volume: 186 litre

Basin pictures: see page 108.



**Claw-foot bathtub 6316 with feet, 1580 x 680 mm.**

White bathtub and feet, chromed bottom valve, white drain pipe

**Claw-foot bathtub 6316 without feet, 1580x680 mm.**

White bathtub without feet\*, chromed bottom valve, white drain pipe

Black bathtub without feet\*, chromed bottom valve, white drain pipe

*\*) Choose feet in your choice of colour to complete the set-up.*

**Complementary feet.**

*NB! Remember to order two pairs per tub*

White, pair

Black, pair



ART No.

GB2063160101

GB2063160001


GB2063165601

GB2921200353

GB2921200359

Water volume: 209 litre

Basin pictures: see page 108.



**Claw-foot bathtub 6368 with feet, 1680 x 730 mm.**

White bathtub and feet, chromed bottom valve, white drain pipe

**Claw-foot bathtub 6368 without feet, 1680 x 730 mm**

White bathtub without feet\*, chromed bottom valve, white drain pipe

Black bathtub without feet\*, chromed bottom valve, white drain pipe

*\*) Choose feet in your choice of colour to complete the set-up.*

**Complementary feet.**

*NB! Remember to order two pairs per tub*

White, pair

Black, pair



GB2063680101

GB2063680001

GB2063685601

GB2921200353






GB2921200359

## Basin models for enamelled titanium steel bathtubs for tiling in

- Gustavsberg has a wide range of models and sizes intended for tiling in.
- Our tubs are made of enamelled titanium steel of the highest quality.
- Handles and anti-slip bottom surface treatment available as options for a safer bath.

- Glazeplus available as an option for easy, eco-friendly cleaning.

### Placement anti-slip treatment



### Basin models



**Tiling-in bathtubs 2940, 2941, 2942 and 2945** feature a traditional basin shape. This basin model is comfortable and practical for both baths and showers and is available in several sizes. Depth 420 mm.

*Available in sizes 1400-1700 x 700 mm.*

**Tiling-in bathtubs Combi 3410 and 3411** are perfect for people who want to use their bathtub as a shower as well. The tub features a generous flat area in the foot end for showering and a centred drain. The head end is sloped for a very comfortable bath. Depth 420 mm.

*Available in sizes 1600 x 700 and 1700 x 700 mm.*

**Tiling-in bathtubs, Duo 1220 and 1380** designed for two people bathing at the same time. It has two sloping head ends and a centred drain. Depth 420 mm.

*Available in sizes 1600 x 700 and 1700 x 750.*


**Tiling-in bathtubs 6830 and 6831** Ideal for people who have plenty of space and appreciate square design. Perfect for two people to bath together; features two sloping head ends and a centred drain. Extra deep 450 mm.

*Available in sizes 1800 x 800 and 1900 x 900 mm.*

**Tiling-in bathtubs, Offset 2570 and 2580** are available in left- and right-hand models. The bath is mainly designed for small bathrooms. Depth 420 mm.

*Available in size 1570 x 700 mm.*

### Accessories, misc



#### Handles

Fits all bathtubs except sitting tub 1051  
Only a single handle can be fitted to bathtub models 1603, 1607 and 1707.

1 handle (state positioning on order)

2 handles

*NB! The bathtub must be ordered featuring holes for handles.*

#### ART No.

GB208B090901

GB208B080901



#### Supplement Anti-slip

#### Supplement Glazeplus

*For art-no of antislip and glazeplus supplement, please contact; customerservice.se@gustavsberg.com*

*NB! Not possible to alter, cancel or return after approved order.*



### PLUS5

An overflow outlet on the bathtub rim prevents the water from overflowing – but means a lower water level when you bathe. Gustavsberg has solved this problem with the smartest overflow outlet on the market: the Plus5 system lets you raise the valve 5 cm with a simple movement – for deeper water and a more luxurious bath.























### 5 CM MEANS A LOT

With overflow outlet Plus 5 you can have a deeper and more enjoyable bathing experience.




## Enamelled titanium steel bathtubs for tiling-in

- Enamelled, titanium alloy sheet steel of the highest quality
- With hole for overflow outlet fitting
- Add a feet to complete the setup
- Choose an overflow outlet system: "standard" or "plus5" for a higher water level.
- All tubs feature a soundproofing mat on the underside to make your bath experience
- Handles and anti-slip bottom surface treatment available as options for a safer tub
- Glazeplus available as an option for easy and eco-friendly cleansing
- Rim-mounted mixer with filling via spout or overflow outlet as optional extra

				ART No.
<p>Water volume: 155 litre</p>   	<p><b>Tiling-in bathtub, 2940, 1400x700 mm</b></p> <p>Without feet, with hole for overflow outlet*</p> <p>Feet for tiled-in bathtub</p> <p>Overflow outlet system, Standard</p> <p>Overflow outlet system, Plus5</p> <p><i>* For baths without hole for overflow outlet please contact; customerservice.se@gustavsberg.com</i></p> 			<p>GB2082940100</p> <p>GB208B231500</p> <p>GB2924300157</p> <p>GB208B619901</p>
<p>Water volume: 165 litre</p>   	<p><b>Tiling-in bathtub, 2941, 1500x700 mm</b></p> <p>Without feet, with hole for overflow outlet*</p> <p>Feet for tiled-in bathtub</p> <p>Overflow outlet system, Standard</p> <p>Overflow outlet system, Plus5</p> <p><i>* For baths without hole for overflow outlet please contact; customerservice.se@gustavsberg.com</i></p> 			<p>GB2082941100</p> <p>GB208B231500</p> <p>GB2924300157</p> <p>GB208B619901</p>
<p>Water volume: 178 litre</p>   	<p><b>Tiling-in bathtub, 2942, 1600x700 mm</b></p> <p>Without feet, with hole for overflow outlet*</p> <p>Feet for tiled-in bathtub</p> <p>Overflow outlet system, Standard</p> <p>Overflow outlet system, Plus5</p> <p><i>* For baths without hole for overflow outlet please contact; customerservice.se@gustavsberg.com</i></p> 			<p>GB2082942100</p> <p>GB208B231500</p> <p>GB2924300157</p> <p>GB208B619901</p>
<p>Water volume: 190 litre</p>   	<p><b>Tiling-in bathtub, 2945, 1700x700 mm</b></p> <p>Without feet, with hole for overflow outlet*</p> <p>Feet for tiled-in bathtub</p> <p>Overflow outlet system, Standard</p> <p>Overflow outlet system, Plus5</p> <p><i>* For baths without hole for overflow outlet please contact; customerservice.se@gustavsberg.com</i></p> 			<p>GB2082945100</p> <p>GB208B231500</p> <p>GB2924300157</p> <p>GB208B619901</p>
<p>Water volume: 176 litre</p>   	<p><b>Tiling-in bathtub, Duo 1220, 1600x700 mm</b></p> <p>Without feet, with hole for overflow outlet*</p> <p>Feet for tiled-in bathtub</p> <p>Overflow outlet system, Standard</p> <p>Overflow outlet system, Plus5</p> <p><i>* For baths without hole for overflow outlet please contact; customerservice.se@gustavsberg.com</i></p> 			<p>GB2081220100</p> <p>GB208B231500</p> <p>GB2924300157</p> <p>GB208B619901</p>

Water volume: 209 litre



Tiling-in bathtub, Duo 1380, 1700x750 mm

Without feet, with hole for overflow outlet

Feet for tiled-in bathtub

Overflow outlet system, Standard

Overflow outlet system, Plus5



ART No.


GB2081380100

GB208B231500

GB2924300157

GB208B619901

Water volume: 189 litre



Tiling-in bathtub, Combi 3410, 1600x700 mm

Without feet, with hole for overflow outlet

Feet for tiled-in bathtub

Overflow outlet system, Plus5




GB2083410100

GB208B231500

GB208B619901

Water volume: 201 litre



Tiling-in bathtub, Combi 3411, 1700x700 mm

Without feet, with hole for overflow outlet

Feet for tiled-in bathtub

Overflow outlet system, Plus5




GB2083411100

GB208B231500

GB208B619901

Water volume: 250 litre



Tiling-in bathtub, Duo 6830, 1800x800 mm

Without feet, with hole for overflow outlet

Feet for tiled-in bathtub

Overflow outlet system, Standard

Overflow outlet system, Plus5




GB2086830100

GB208B231500

GB2924300157

GB208B619901

Water volume: 280 litre



Tiling-in bathtub, Duo 6831, 1900x900 mm

Without feet, with hole for overflow outlet

Feet for tiled-in bathtub

Overflow outlet system, Standard

Overflow outlet system, Plus5




GB2086831100

GB208B231500

GB2924300157

GB208B619901

Water volume: 174 litre



Tiling-in bathtub, Offset 2570, 1570x700 mm

Without feet, with hole for overflow outlet. Left

Feet for tiled-in bathtub

Overflow outlet system, Standard


Overflow outlet system, Plus5



ART No.

- GB2082570100
- GB208B231500
- GB2924300157
- GB208B619901

Water volume: 174 litre



Tiling-in bathtub, Offset 2580, 1570x700 mm

Without feet, with hole for overflow outlet. Right

Feet for tiled-in bathtub

Overflow outlet system, Standard

Overflow outlet system, Plus5



- GB2082580100
- GB208B231500
- GB2924300157
- GB208B619901

## Titanium steel and enamel – an extremely durable combination

Titanium alloy sheet steel makes our bathtubs extremely durable. The enamel is built up of several thin layers – a technique which makes it highly flexible and allows it to move with the steel, eliminating the risk of cracking.



## Hygienic

A hard surface that is so smooth and tight that neither dirt nor bacteria can gain a foothold makes it hygienic and easy to keep clean.



## Knock-proof

An ultra-thin surface that is both strong and flexible. So there is no need to worry – even if you should happen to drop something in the tub.



## Warm

Enamelled titanium steel is a good conductor. The hot water quickly heats the surface of the tub (including the edges where you rest your neck) to provide an even more delightful bath experience.



## Scratch-proof

The surface is more durable than materials such as cast marble, acrylic and cast iron, and it is highly resistant to cracks and scratches.



## Durable

Highly resistant to the chemicals used in cosmetics and bath salts, for example. Not even nail varnish will leave a mark on the surface.



## Accessories

Our bathroom accessories are created to provide long, faithful service in a humid environment. The units follow the same refined, Scandinavian design idiom as other products from Gustavsberg, so you don't have to scrimp on quality, function or form when applying your own personal style to your bathroom. Take a little time to choose handles and knobs for your drawers and cabinets, as they play a significant role in the overall impression. To see our full range of handles and knobs, please turn to the furniture pages. Several of the knobs can also be used as towel hooks on walls.

### TO THINK OF

Gustavsberg supplies a well thought-out selection of accessories. Always go for quality that lasts and design that you will enjoy for years and years. And make sure to seal all holes and cavities in bathroom walls thoroughly with silicone. Make sure not to damage the damp course in your bathroom. If you drill any holes, make sure to seal them tightly. Ask your reseller or fitter about the conditions that apply to your wall material. Plan carefully, and position your accessories with care.



Ducentic accessories / Ducentic bathroom cabinet / Ducentic washbasin mixer / Ducentic bathroom mirror





## Bathroom accessories Ducentic

- Created for Gustavsberg's 200th anniversary and celebrates the heritage of craftsmanship and design
- Made of stoneware in Gustavsberg, Sweden

			ART No.
		Ducentic toilet paper holder	GB71DC9901TR
		Ducentic hook - Large	GB71DC9901HL
		Ducentic hook - Small	GB71DC9901HS

## Bathroom accessories Round

- Design featuring rounded lines
- Chromed surface finish
- Can be fitted with screws or glue









			ART No.
		Round towel rail 450 mm, chrome	GB41103701
		Round towel hanger hook, chrome	GB41103704
		Round double towel hanger hook, chrome	GB41103705




		<p>Round toilet paper holder, chrome</p>	<p>ART No. GB41103707</p>
		<p>Round toilet paper holder, chrome Supplements Spare brush</p>	<p>GB41103710 GB4163974601</p>

## Bathroom accessories Square

- Design distinguished by straight lines and rounded corners
- Fits well in style to most bathroom collections
- Material; solid brass
- Available in different surface finishes

		<p>Square towel rail 450 mm</p> <p>Chrome Matte black Brushed brass</p>	<p>ART No. GB41103901 GB41103901 53 GB41103901 24</p>
		<p>Square towel hanger hook</p> <p>Chrome Matte black Brushed brass</p>	<p>GB41103904 GB41103904 53 GB41103904 24</p>
		<p>Square toilet paper holder</p> <p>Chrome Matte black Brushed brass</p>	<p>GB41103907 GB41103907 53 GB41103907 24</p>
		<p>Square toilet brush and holder</p> <p>Chrome Matte black Brushed brass Supplements Spare brush</p>	<p>GB41103910 GB41103910 53 GB41103910 24 GB41639746 01</p>

Cont. Bathroom accessories Square



**Push-down valve**

Chrome

Matte black

Brushed brass


GB41636575 01

GB41636575 53

GB41636575 24

Water traps  
for washbasins

- Adjustable height and depth
- Available in different surface finishes
- Suit all washbasins in our range



**Water trap for wall connection**

Chrome


Matte black

Brushed brass

GB41109938

GB41109938 53

GB41109938 24



**Water trap for floor connection**

Chrome

Matte black

Brushed brass

GB41109939

GB41109939 53

GB41109939 24


## A more sustainable bathroom life with Gustavsberg

Gustavsberg has been a pioneer and has driven the development of sanitary products for the bathroom since the early 1900s. Today, we all need to be smarter to achieve a lifestyle that doesn't harm the planet and this time too we have the ambition to take the lead and show the way.

[Read more on our website about how we work more sustainably.](#)

## Before you start

1. Divide your bathroom into three functions: one for toilet visits, one for full-body care (i.e. baths and showers), and one for grooming – hands, teeth and face.
2. A large family may need a separate toilet. Is there some unutilised space in your home that would be suitable for a separate toilet? A toilet in the same room can be separated off by installing a partition wall.
3. Do you want to fit a bath, a shower – or both – in your bathroom? The younger family members will probably monopolise the shower – so is there space to separate it off?
4. Base your ideas on the actual size of your bathroom and ask yourself: where can I change nappies and where can I store the clean ones? Do I need to make space for the washing machine and tumble dryer?
5. Remember the lights! Weak light – or excessively bright light – will make the bathroom environment dull and sad. A good rule of thumb is to have at least one light for “general lighting” and one directed light for “face work”. Include mirrors in your considerations; they reflect light and increase the sense of space in the room.
6. If the drain installations need to be moved, are the ones for the toilet and washbasin to be installed in the wall or the floor? You can install wall-mounted porcelain even though the existing drain connections are in the floor.
7. Ventilation is important. Good ventilation – ideally combined with under-floor heating – helps the bathroom to dry quickly and reduces the risk of moisture damage.
8. The preparatory work beneath the floor and behind the walls – i.e. the work involving the pipes – is crucial in preventing moisture damage. We strongly recommend that you engage professionals for this work.
9. Light colours make the bathroom seem bigger. They also make dust, soap marks and water splashes less obvious.
10. It may be that you need to think about setting up your bathroom with an eye to the future – to the time when you may not be as mobile as you once were. It is often the small details that make the bathroom much safer: a support rail by the bathtub and a non-slip surface on the bath-tub floor, for example. Or perhaps a support rail by the WC or a raised WC seat. An extended lever on a standard mixer will also make things easier for people with reduced hand strength. Our range contains numerous products that have been adapted for both children and adults with special needs. For more information about these products, visit [www.gustavsberg.com](http://www.gustavsberg.com)



### THINK CAREFULLY BEFORE – YOUR BATHROOM IS TO LAST FOR YEARS

Consult a professional if you want to remodel your existing bathroom or build a new bathroom from scratch. It is best to reach agreement at the drawing board stage.





# Think Gustavsberg

## FOR THE ENVIRONMENT

Our products start saving water and energy as soon as you install them in your bathroom, but our work to boost sustainability starts as early as the production phase: Gustavsberg sells environmentally certified and -declared products, and complies with the LEED, BREEAM and *Miljöbyggnad* (Green Building) environmental assessment systems, as well as with the EU Taxonomy. Our operations are ISO certified in the fields of quality, the environment, energy and working environment.

## FOR YOUR FINANCES

A Gustavsberg bathroom is an investment in top quality, durable material, smart functions and timeless Scandinavian design that will last for years and years. And all the time you are enjoying the sweet and simple life in the bathroom, our products are saving water, energy and money.

## FOR THE QUALITY

A bathroom has to last for years and years. This applies not only to the products' material and function, but also to their design. Your bathroom needs to be enduringly inviting, refreshing and attractive. A quick tip: As all the components that make up your bathroom are exposed to the same wear and tear, it is essential that all the products you choose maintain equally high quality.

## FOR THE SMART FUNCTIONS

As you read this brochure, you will encounter numerous symbols for the smart functions our products contain. These functions perform many different roles, but a trait they all share is that they make your life in the bathroom even simpler and even more enjoyable.

## FOR SERVICE AND SPARE PARTS

Gustavsberg's unique spare parts policy guarantees that parts for your product will still be available for ten years after we have stopped making it.

If anything should go wrong in your bathroom, visit our website at [gustavsberg.com](https://gustavsberg.com) and watch our instruction videos to help you pinpoint the problem.

## BECAUSE OF THE BROAD COLLECTION

We have developed our products to cover requirements in every imaginable kind of bathroom, including public bathrooms and bathrooms in care environments. Consistent high quality, timeless Scandinavian design and a pared-down design idiom makes it simple to combine them all.

## FOR THE BEAUTY OF FUNCTION

Back when we started making bathrooms, our idea was to add a little beauty. Not just the appearance itself, but the experience as a whole: from extended sitting and flushing to hand-washing and quick showers. To achieve our aim we got to know the people who would be using our bathrooms. That's how we have always worked – with real life as our starting point. The result? A long history of solutions that make life in the bathroom better, simpler and thus more beautiful.



Nautic 1530 wall hung toilet



Nautic 1500 toilet



# Welcome to gustavsberg.com

## **BE INSPIRED**

Visit our website for additional inspiration and to find our complete range for the bathroom.

## **SUPPORT AND SERVICE**

Our website also contains manuals and instruction videos, as well as tips and hints to help you use and care for your Gustavsberg products.



Villeroy & Boch Gustavsberg AB  
P.O. Box 400, SE-134 29 Gustavsberg, Sweden  
[gustavsberg.com](http://gustavsberg.com)