

This is what the future looks like

In a sustainable society, even the wonderful "me time" you spend in your bathroom should also be kind on the environment – and your wallet. That is why we are now launching Gustavsberg's well-known thermostatic mixer in a new design and with upgraded features.

The thermostatic mixers of tomorrow make the bathroom a more sustainable space for builders, fitters and – in particular – users of the new product. Gustavsberg's new thermostatic mixers constitute a tangible step towards our vision of being a completely carbon-neutral company by 2030. The new, expanded collection is intended to replace all older models in all ranges.

THERMOSTATIC MIXERS FOR EVERYONE

Our new thermostatic mixers are easy to install, to understand and to use. With a large selection of lead-free mixers. With a new design that suits most bathrooms perfectly. With an aesthetically pleasing and practical click-on shelf, and a functionally adapted handle. In short, something for everyone looking to enjoy life in the bathroom to the full.







"The old thermostatic mixer design has served us faithfully for more than 20 years – but the new design idiom is lighter, neater and better thought-out."



Anna Marciniak, Product Manager Taps

The new thermostatic bath and shower mixers feature an organic, timeless design that blends in seamlessly with Gustavsberg's entire collection of stylish rain shower heads and shower sets. But the beauty extends far below the surface:

"SMART INSIDE"


A number of the new thermostatic mixers feature "Smart Inside" technology with replaceable functions that can be upgraded to fulfil future environmental requirements and points systems (from the Swedish Green Building Council and BREEAM, for example). In practice, this entails an extended service life and even better sustainability.

REDUCED EMISSIONS EVERY STEP OF THE WAY

The new thermostatic mixers weigh around 20% less than the older models. They also contain less brass, which means a reduction in carbon emissions as early as in the manufacturing phase. Lower weight also translates into a reduction in emissions from transport.

MADE IN SWEDEN

Another significant environmental benefit is that Gustavsberg's thermostatic mixers are produced locally in Sweden – more specifically, in Vårgårda.



Designed for long, sustainable service

All thermostatic mixers in Gustavsberg's new, expanded collection feature energy- and watersaving technology. They will therefore lessen the load on their users' wallets and reduce impact on the environment for decades to come.

BUILT FOR SIMPLE INSTALLATION

The fact that the new thermostatic mixers weigh less facilitates installation even further, easing the burden on both professional fitters and DIY enthusiasts.

"The new thermostatic mixers weigh less and are incredibly easy to install. This means less strain on hard-working fitters."

- Anna Marciniak

BUILT TO SUIT ALL NEEDS

Families with young children can choose a thermostatic mixer with automatic scald protection that regulates the water temperature, thus eliminating the risk of scalding. Other smart functions include: hot-water shut-off, type approved non-return valves, a Safe Touch function, an expanded lead-free collection and a variety of accessories including easy-to-grip handles.









New design in all ranges

NEW NAUTIC - FULFILS ALL REQUIREMENTS

The New Nautic range is intended for professionals and for everyone who makes the highest demands on quality, on function and on saving energy and water. The thermostatic mixers feature the latest technology and smart solutions that make them much more sustainable in the long term. Several models in the New Nautic range are also lead-free.

NORDIC - SUITS ALL BATHROOMS

The Nordic range presents safe and secure functionality. The range is limited to the most common models and with its pared down idiom, the timeless design matches all bathrooms perfectly.

ATLANTIC - SOMETHING FOR EVERYONE

The Atlantic range meets stringent requirements from professional fitters and DIY enthusiasts alike. The design is stylistically pure, and the collection has been expanded even further in connection with the new launch.

ESTETIC - THE NEATEST OPTION OF ALL

The Estetic range is designed for everyone who appreciates the highest possible design factor in the bathroom. The new thermostatic mixer will be available in both chrome and matt black finish. A smart click-on shelf elegantly conceals the fixing point, at the same time as providing additional surface space.





SHOWER MIXER WITH BATHTUB SPOUT

Another addition to the collection is a thermostatic mixer with a fixed bathtub spout. Bathtub and Shower mixer combinations are common, and the new, expanded collection from Gustavsberg makes it easy to create a neat, uniform look in the bathroom.

SMARTEST SHELF

A smart click-on shelf is included in the delivery or available as an optional extra. It neatly conceals the wall fitting and provides practical surface space where it is most needed.

BEST IN ENERGY CLASS

A new option for everyone who is extra passionate about the environmental aspect: One of our lead-free shower mixers from the Nautic range is supplied with an Energy class A rain shower head set.



EVEN PRESSURE

Thermostatic mixers feature built-in automatic scald protection and hot-water safety stop with type-approved non-return valves. This means that the mixers react quickly to the changes in temperature and pressure that can arise in the water flow, and even out the differences.



SAFE TOUCH

All thermostatic mixers from gustavsberg are fitted with a safe touch function, which means they are designed to lead the hot water along the rear side of the mixer. This minimises the heat level on the front side of the thermostat, thus reducing the risk of burns.



LEAD-FREE

The mixer is made of material whose total weight includes less than 0.1% Lead. As such, it is an ecosmart mixer that meets stringent requirements with reference to lead content. The mixer features a discreet laser marked symbol on its rear side to facilitate traceability.



SMART INSIDE


Thanks to the smart, replaceable components, the mixer can be upgraded in the future to add new, even smarter functions. This extends the mixer's lifetime and makes it even more sustainable.







Thermostatic mixer – the news in brief



The following pages
present the entire
collection of our new
thermostatic mixers.
Several of these mixers –
and all our other bathroom
products – are also
displayed on our website.



Explore our wide range of products for a complete bathroom.



We supply mixers for both kitchens and bathrooms.



Access installation instructions, product fact sheets, prices, certifications and more ...



Be inspired



Welcome to www.gustavsberg.com




Thermostatic mixer New Nautic

- Built-in automatic hot water block for scald protection
- Block button on the temperature side at comfort temperature 38°C
- Adjustable max temperature for increased scald protection
- Safe Touch reduces the heat on the front of the mixer
- Block button on flow side at comfort flow
- Responds quickly to changes in pressure and temperature, maintaining even water temperature
- Ceramic shut-off for drip protection and long life, also

simplifies use for small and weak hands

- · Lead free brass in DZR quality
- Type-approved check valve in the inlet
- Backflow protection in accordance with SS-EN 1717 [EB]
- Can be functionally adapted with grip-friendly knobs
- · Can be complemented with a Gustavsberg bathtub spout

			Art-no.
Shower mixer New Nautic 150 c-c			
285 G1/2		Lead free, with outlet up and down	GB412123020
8			
G12	1		
C-C150 G 3/4 75 75	8		
285		With outlet down	GB41212304
8			
G1/2		Lead free, with outlet down	GB412123040
C-C150 75 75	0		
9			
285		Lead free. Outlet down. With grip-friendly knobs	GB41212304066
50		With outlet down, 60 pieces	GB4121230460
G1/2 8			
C-C150	0		
G 3/4 75 75			
9 8			
285		With outlet down, with swiveling bathtub spout	GB41212323
8			
G1/2			
C-C150	T		
G 3/4 75 75 75 75 75 75 75 75 75 75 75 75 75	40		
\$ p	O.		
. 285	III (4299)	Lood from with qualitative and desired and	CR412122200
G1/2		Lead free, wth outlet up and down, incl. energy A-classified roof shower	GB412123300
8			
G1/2	/		
G 3/4 C-C150	1		
285		With outlet down, with 85 mm fixed bathtub spout	GB41212352
32 20			
G1/2		Lead free, with outlet down, with 85 mm fixed bath-	GB412123520
C-C150 75 75		tub spout	
	129.		
		I and the second	T I



Shower column Round and Square with thermostatic mixer **New Nautic**

- Easy clean designed with smart nozzles that make it simple to wipe off any limescale deposits
- The head shower and shower arm are turnable and can be adjusted completely individually
- Telescopically adjustable height 770-1165 mm

- Hand shower on glider
- Knob with clear color marking for hot and cold

- 400 mm long shower arm provides a generous shower area Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
 - Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
 - Type-approved non-return valves in the inlets
 - The shower set can be mounted with screws or glue

		Art-no.
Shower mixer New Nautic 150 c-c		
90-100 90-200	Roof shower Round included © © ©	GB41212330
600 (613) (600 (613)) (600 (6	Roof shower Square included © ©	GB41212335

Shower column with thermostatic mixer and pressuare valve New Nautic Public

- Preset flushing time ~ 30 sek.
- Flow 9 I/min at 3 bar
- Built-in automatic hot water block for scald protection
- Adjustable max. temperature for improved scald protection
- Block button on the temperature side at comfort temperature 38°C
- Safe Touch, minimizes the heat on the front side of the mixer
- Reacts quickly to changes in the flow pressure and temperature to maintain a constant water temperature
- Type-approved non-return valves in the inlet
- Backflow protection in accordance with SS-EN 1717 [EB]

		Art-no.	
G1/2 G1/2 G 3/4 G	With outlet up, with time valve, incl. Public shower set	GB41212355	
G1/2	With outlet up, with time valve	GB41212364	

Pre-rinse set New Nautic

- Functional, ergonomic design
- Hand-held rinsing nozzle that minimizes pressure surges when the water flow is opened and closed, can be locked for longer flushes
- The nozzle features two different spray patterns, both with optimized rinsing capacities
- Diverter function built into the thermostatic mixer
- Safe Touch reduces the heat on the front side of the mixer
- Responds quickly to changes in pressure and temperature, maintaining even water temperature
- Built-in automatic hot water block for complete scald protection
- Easy to install
- Complete with 350 mm pivoting spout

		Art-no.	
Pre-rinse set New Nautic 150 c-c			
350 SS 250 SS 250	With outlet up and down, with 350 mm swiveling spout	GB41212372	

Accessories

- Provides neater assembly and a flat surface on top of the mixer.
- $\bullet\,$ Fits thermostatic mixers in the New Nautic series. (Included in delivery in other ranges)



Click-on shelf	GB41650052	
Click-on shelf, matt black	GB4165005253	

Thermostatic mixers **Atlantic**

- Knob with clear color marking for hot and cold
- Built-in automatic hot water shut-off for scalding
- · Adjustable maximum temperature for increased scalding
- Lock button on the temperature side at a comfort temperature of 38°C
- Reacts quickly to pressure and temperature changes in
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- Backflow protection according to SS-EN 1717 [EB]
- Can be completed with Gustavsberg bathtub spout
- · Click-on-shelf included

		Art-no.
Shower mixer Atlantic 150 c-c		
285 G1/2 G	With outlet up and down	GB41211302
285 G1/2 C-C150 75 75 75 75	With outlet down Output Description: Desc	GB41211304 GB412113040
285 G1/2 C-C150 75 75 75	Lead free, outlet down, incl. energy A-classified shower set	GB412113870

Shower column Round and Square thermostatic mixer **Atlantic**

- Easy clean designed with smart nozzles that make it
- adjusted completely individually
- Telescopically adjustable height 770-1165 mm
- Flexible wall bracket 50-130 mm for easy installation
- 3-functional hand shower with a button
- Hand shower on glider
- Knob with clear color marking for hot and cold

- Built-in automatic hot water shut-off for scalding
- · Safe Touch, minimizes the heat on the front of the mixer
- \cdot 400 mm long shower arm provides a generous shower area \cdot Reacts quickly to pressure and temperature changes in the
 - Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
 - Type-approved non-return valves in the inlets
 - The shower set can be mounted with screws or glue
 - ${\boldsymbol{\cdot}}$ Can be completed with Knobs for functional adaptation

Roof shower Round included GB41211330 Roof shower Square included GB41211335

Thermostatic mixers Nordic

- Built-in automatic hot water shut-off for scalding protection
- Lock button on the temperature side at a comfort temperature of 38°C
- Adjustable maximum temperature for increased scalding
- Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands
- Type-approved non-return valves in the inlets
- Backflow protection according to SS-EN 1717 [EB]

Art-no. Shower mixer Nordic 150 c-c GB41211702 With outlet up and down G1/2 With outlet down GB41211704 G1/2

Shower column Round and Square with thermostatic mixer Nordic

- Super slim round head shower Ø250 mm / 250x250 mm
- Easy clean designed with smart nozzles that make it
- The head shower and shower arm are turnable and can be adjusted completely individually
- Telescopically adjustable height 770-1165 mm
- 3-functional hand shower with a button
- Hand shower on glider
- Knob with clear color marking for hot and cold

- Built-in automatic hot water shut-off for scalding
- temperature of 38°C
- Safe Touch, minimizes the heat on the front of the mixer
- \cdot 400 mm long shower arm provides a generous shower area \cdot Reacts quickly to pressure and temperature changes in the
 - Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands

 - The shower set can be mounted with screws or glue

Art-no. Shower mixer Nordic 150 c-c Roof shower Round included GB41211730 GB41211735 Roof shower Square included

Thermostatic mixers Estetic

- Built-in automatic hot water shut-off for scalding
- Lock button on the temperature side at a comfort
- Adjustable maximum temperature for increased scalding
 Including smart shelf for more storage space protection
- Reacts quickly to pressure and temperature changes in
- Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands

- · Click-on-shelf included

			Art-no.
Shower mixer Estetic 150 c-c			
285 G1/2		With outlet up and down	GB41218402
C.C.150 75 75 75	8 -	Black, with outlet up and down	GB4121840253
285 8 8	3	With outlet down	GB41218404
CC150 75 75 75 75	• -	Black, with outlet down	GB4121840453
Bathtub mixer Estetic 150 c-c			
285 8 8 6 6 75 75	The state of the s	With outlet down, with fixed bathtub spout	GB41218433
	7	Black, with outlet down, with fixed bathtub spout	GB4121843353

Shower column Round and Square with thermostatic mixer Estetic

- Super slim round head shower Ø250 mm / 250x250 mm Built-in automatic hot water shut-off for scalding
- Easy clean designed with smart nozzles that make it simple to wipe off any limescale deposits
- Standard Coardinate Ministration (1922) and thake it simple to wipe off any limescale deposits
 The head shower and shower arm are turnable and can be adjusted completely individually
 Lock button on the temperature side at a comfort temperature of 38°C
 Safe Touch, minimizes the heat on the front of the mixer

- 3-functional hand shower with a button
- Hand shower on glider
- 1,75 m metal braided shower hose
- Knob with clear color marking for hot and cold

- protection


- 400 mm long shower arm provides a generous shower area
 Reacts quickly to pressure and temperature changes in the water flow, which provides an even water temperature
 - Ceramic shut-off for drip protection and long life, also simplifies use for small and weak hands

 - The shower set can be mounted with screws or glue
 - Can be completed with Knobs for functional adaptation
 - · Click-on-shelf included

			Art-no.
400 50.130		Roof shower Round included © © ©	GB41218430
		Black. Roof shower Round included	GB4121843053
400 50-13Q		Roof shower Square included	GB41218435
	#	Black. Roof shower Square included	GB4121843553

Knobs for functional adaptation of thermostatic mixers

- The wings on the knob rest well in the hand and gives a good grip
- In gray colour to stand out more clearly
- Fits our New Nautic Thermostatic mixers





	Art-no.
Flow side of mixer	GB41650221 01
Temperature side of mixer	GB41650223 01

Bath tub spouts for thermostatic mixers

Diverter spout that changes the flow	of water between hose or spout	t	
	9	Chrome	GB41650247
		Matt black	GB4165024753
ivel spout. Possible to lock position	on	1	
		85 mm	GB41650279
		150 mm	GB41650282
		250 mm	GB41650285
		350 mm	GB41650288
-shapet swivel spout			
		150 mm	GB41650299
		250 mm	GB41650301
		350 mm	GB41650303
-shapet swivel spout			
		250 mm	GB41650305
ixed spout with self retracting pull	diverter		
			GB41650320

A more sustainable life in the bathroom with Gustavsberg

Gustavsberg has been a pioneer, powering the development of sanitary products for the bathroom since the early 1900s. Today, we all need to be smarter to achieve a lifestyle that does not damage our planet, and in this context, too, our ambition is to take the lead and show the way.

Visit our website to find out more about how we are working more sustainably.



